



N●STA









NOSTA / Arthie 50

Precious lighting with Arthie 50


Precious lighting with Arthie 50

The Arthie 50 LED series will bring the best of LED technology in your house. Very much care was taken to provide a pleasant and warm light and after long research and development we have today surpassed the comfort and feeling of halogen light. LED finally finds a well merited place in the Nosta collection.













	ARTHIE 50 C1 D8CM		ARTHIE 50 C1 D10CM		ARTHIE 50 C1 D4,5CM		ARTHIE 50 C1S D4,5CM		ARTHIE 50 C1S D9CM		ARTHIE 50 C1B D9CM		ARTHIE 50 C2 D14CM		ARTHIE 50 C3 D14CM	
BRONZE	U8S1DOE		U8S4DOE		U8S21DOE		U8S20DOE		U8S13DOE		U8S30DOE		U8S2DOE		U8S3DOE	
NICKEL	U8S1DNM		U8S4DNM		U8S21DNM		U8S20DNM		U8S13DNM		U8S30DNM		U8S2DNM		U8S3DNM	
WHITE	U8S1DWL		U8S4DWL		U8S21DWL		U8S20DWL		U8S13DWL		U8S30DWL		U8S2DWL		U8S3DWL	
BLACK	U8S1DZL		U8S4DZL		U8S21DZL		U8S20DZL		U8S13DZL		U8S30DZL		U8S2DZL		U8S3DZL	
SPRING TYPE																
LED																
CCT	2700		2700		2700		2700		2700		2700		2700		2700	
ANGLE	15° 1		15° 1		15° 1		15° 1		15° 1		15° 1		15° 1		15° 1	
MAX.CURRENT	700mA		700mA		700mA		700mA		700mA		700mA		700mA		700mA	
MAX.WATT	2W		2W		2W		2W		2W		2W		2x 2W		3x 2W	
LUMEN	210		210		210		210		210		210		210		210	
CLASS																
GEAR	not incorporated		not incorporated		not incorporated		not incorporated		not incorporated		not incorporated		not incorporated		not incorporated	
DIMMABLE	-		-		-		-		-		-		-		-	
DIMENSIONS (mm)	D80 x H130		D100 x H130		D45 x H130		D45 x H130		D90 x H130		D90 x H130		D140 x H130		D140 x H130	
	D 40mm-50mm		D 40mm-70mm		D 25mm		D 40mm		D 40mm-80mm		D 75mm-85mm		D 100mm		D 100mm	







	ARTHIE 50 LB1 D8CM		ARTHIE 50 LB1 D10CM		ARTHIE 50 LB2 D14CM		ARTHIE 50 LB3 D14CM		ARTHIE 50 LB4 D14CM		ARTHIE 50 MB1V		ARTHIE 50 MB1R		ARTHIE 50 MB2	
BRONZE	U8S19DOE		U8S41DOE		U8S42DOE		U8S43DOE		U8S44DOE		U8S71DOE		U8S71RDOE		U8S72DOE	
NICKEL	U8S19DNM		U8S41DNM		U8S42DNM		U8S43DNM		U8S44DNM		U8S71DNM		U8S71RDNM		U8S72DNM	
WHITE	U8S19DWL		U8S41DWL		U8S42DWL		U8S43DWL		U8S44DWL		U8S71DWL		U8S71RDWL		U8S72DWL	
BLACK	U8S19DZL		U8S41DZL		U8S42DZL		U8S43DZL		U8S44DZL		U8S71DZL		U8S71RDZL		U8S72DZL	
LED																
CCT	2700		2700		2700		2700		2700		2700		2700		2700	
ANGLE	15° ¹		15° ¹		15° ¹		15° ¹		15° ¹		15° ¹		15° ¹		15° ¹	
MAX.CURRENT	700mA		700mA		700mA		700mA		700mA		700mA		700mA		700mA	
MAX.WATT	2W		2W		2x 2W		3x 2W		4x 2W		2W		2W		2x 2W	
LUMEN	210		210		210		210		210		210		210		210	
CLASS	class I 		class I 		class I 		class I 		class I 		class I 		class I 		class I 	
GEAR	incorporated		incorporated		incorporated		incorporated		incorporated		incorporated		incorporated		incorporated	
DIMMABLE	NO		NO		NO		NO		NO		NO ²		NO		NO	
DIMENSIONS (mm)	D80 x H165		D100 x H165		D140 x H150		D140 x H150		D140 x H150		L100 x B100 x H163		L159 x B47x H163		L159 x B47 x H163	

1 - 32° upon request
2 - dimmable upon request



	ARTHIE 50 MB3		ARTHIE 50 MB4		ARTHIE 50 MB4V		ARTHIE 50 2R BOX CLASSIC		ARTHIE 50 4V BOX CLASSIC		ARTHIE 50 R2		ARTHIE 50 R3		ARTHIE 50 R4	
BRONZE	U8S73DOE		U8S74DOE		U8S70DOE		U8S62DOE		U8S60DOE		U8S52DOE		U8S53DOE		U8S54DOE	
NICKEL	U8S73DNM		U8S74DNM		U8S70DNM		U8S62DNM		U8S60DNM		U8S52DNM		U8S53DNM		U8S54DNM	
WHITE	U8S73DWL		U8S74DWL		U8S70DWL		U8S62DWL		U8S60DWL		U8S52DWL		U8S53DWL		U8S54DWL	
BLACK	U8S73DZL		U8S74DZL		U8S70DZL		U8S62DZL		U8S60DZL		U8S52DZL		U8S53DZL		U8S54DZL	
LED																
CCT	2700		2700		2700		2700		2700		2700		2700		2700	
ANGLE	15° 1		15° 1		15° 1		15° 1		15° 1		15° 1		15° 1		15° 1	
MAX.CURRENT	700mA		700mA		700mA		700mA		700mA		700mA		700mA		700mA	
MAX.WATT	3x 2W		4x 2W		4x 2W		2x 2W		4x 2W		2x 2W		3x 2W		4x 2W	
LUMEN	210		210		210		210		210		210		210		210	
CLASS	class I 		class I 		class I 		class I 		class I 		class I 		class I 		class I 	
GEAR	incorporated		incorporated		incorporated		incorporated		incorporated		incorporated		incorporated		incorporated	
DIMMABLE	NO		NO		NO 2		NO 2		NO 2		NO 2		NO 2		NO 2	
DIMENSIONS (mm)	L270 x B47 x H163		L380x B47 x H163		L159x B159 x H163		L190x B57 x H168		L122 x B122 x H168		L195 x B82 x H155		L320 x B82 x H155		L445 x B82 x H155	



	ARTHIE 50 R5		ARTHIE 50 V1		ARTHIE 50 V4		ARTHIE 50 M10								
BRONZE	U8S55DOE		U8S51DOE		U8S50DOE		U8S5DOE								
NICKEL	U8S55DNM		U8S51DNM		U8S50DNM		U8S5DNM								
WHITE	U8S55DWL		U8S51DWL		U8S50DWL		U8S5DWL								
BLACK	U8S55DZL		U8S51DZL		U8S50DZL		U8S5DZL								
LED															
CCT	2700		2700		2700		2700								
ANGLE	15° 1		15° 1		15° 1		15° 1								
MAX.CURRENT	700mA		700mA		700mA		700mA								
MAX.WATT	5x 2W		2W		4x 2W		2W								
LUMEN	210		210		210		210								
CLASS	class I 		class I 		class I 										
GEAR	incorporated		incorporated		incorporated		n-a								
DIMMABLE	NO 2		NO 2		NO 2		-								
DIMENSIONS (mm)	L570 x B82 x H155		L82 x B82 x H155		L195x B195 x H155		M10 x H130								

[illegible]


NOSTA / Arthie 70



Pleasant lighting with Arthie







Pleasant lighting with Arthie 70

The Arthie 70 is designed to obtain a versatile accent lighting solution with a discrete elegant design and luxurious feeling. With a minimal visual appearance of the light source while maintaining optimal performance this goal is perfectly achieved. The GU10 is perfectly suited for the use of LED retrofit bulbs.















	ARTHIE 70 C1 D8CM		ARTHIE 70 C1 D10CM		ARTHIE 70 C1 D4.5CM		ARTHIE 70 C1S D4.5CM		ARTHIE 70 C1S D9CM		ARTHIE 70 C1B D9CM		ARTHIE 70 C2 D14CM		ARTHIE 70 C3 D14CM	
BRONZE	U7S1HOE		U7S4HOE		U7S21HOE		U7S20HOE		U7S13HOE		U7S30HOE		U7S2HOE		U7S3HOE	
NICKEL	U7S1HNM		U7S4HNM		U7S21HNM		U7S20HNM		U7S13HNM		U7S30HNM		U7S2HNM		U7S3HNM	
WHITE	U7S1HWL		U7S4HWL		U7S21HWL		U7S20HWL		U7S13HWL		U7S30HWL		U7S2HWL		U7S3HWL	
BLACK	U7S1HZL		U7S4HZL		U7S21HZL		U7S20HZL		U7S13HZL		U7S30HZL		U7S2HZL		U7S3HZL	
SPRING TYPE																
LAMP																
BASE	GU10		GU10		GU10		GU10		GU10		GU10		GU10		GU10	
MAX.WATT	10W		10W		10W		10W		10W		10W		2x 10W		3x 10W	
VOLT	220V		220V		220V		220V		220V		220V		220V		220V	
CLASS																
GEAR	n-a		n-a		n-a		n-a		n-a		n-a		n-a		n-a	
DIMMABLE	YES		YES		YES		YES		YES		YES		YES		YES	
DIMENSIONS (mm)	D80 x H122		D100 x H122		D45 x H122		D45 x H122		D90 x H122		D90 x H122		D140 x H122		D140 x H122	
	D 40mm- 50mm		D 70mm		D 25mm		D 40mm		D 40mm- 80mm		D 75mm- 85mm		D 100mm		D 100mm	



	ARTHIE 70 LB1 D8CM		ARTHIE 70 LB1 D10CM		ARTHIE 70 LB2 D14CM		ARTHIE 70 LB3 D18CM		ARTHIE 70 LB4 D18CM		ARTHIE 70 MB1V		ARTHIE 70 MB1R		ARTHIE 70 MB2	
BRONZE	U7S19HOE		U7S41HOE		U7S42HOE		U7S43HOE		U7S44HOE		U7S71HOE		U7S71RHOE		U7S72HOE	
NICKEL	U7S19HNM		U7S41HNM		U7S42HNM		U7S43HNM		U7S44HNM		U7S71HNM		U7S71RHNM		U7S72HNM	
WHITE	U7S19HWL		U7S41HWL		U7S42HWL		U7S43HWL		U7S44HWL		U7S71HWL		U7S71RHWL		U7S72HWL	
BLACK	U7S19HZL		U7S41HZL		U7S42HZL		U7S43HZL		U7S44HZL		U7S71HZL		U7S71RHZL		U7S72HZL	
LAMP																
BASE	GU10		GU10		GU10		GU10		GU10		GU10		GU10		GU10	
MAX.WATT	10W		10W		2x 10W		3x 10W		4x 10W		10W		10W		2x 10W	
VOLT	220V		220V		220V		220V		220V		220V		220V		220V	
CLASS	class I 		class I 		class I 		class I 		class I 		class I 		class I 		class I 	
GEAR	n-a		n-a		n-a		n-a		n-a		n-a		n-a		n-a	
DIMMABLE	YES		YES		YES		YES		YES		YES		YES		YES	
DIMENSIONS (mm)	D80 x H150		D100 x H150		D140 x H150		D180 x H150		D180 x H150		L100x B100 x H160		L159x B47 x H160		L159x B47x H160	



	ARTHIE 70 MB3		ARTHIE 70 MB4		ARTHIE 70 MB4V		ARTHIE 70 2R BOX CLASSIC		ARTHIE 70 4V BOX CLASSIC		ARTHIE 70 R2		ARTHIE 70 R3		ARTHIE 70 R4	
BRONZE	U7S73HOE		U7S74HOE		U7S70HOE		U7S62HOE		U7S60HOE		U7S52HOE		U7S53HOE		U7S54HOE	
NICKEL	U7S73HNM		U7S74HNM		U7S70HNM		U7S62HNM		U7S60HNM		U7S52HNM		U7S53HNM		U7S54HNM	
WHITE	U7S73HWL		U7S74HWL		U7S70HWL		U7S62HWL		U7S60HWL		U7S52HWL		U7S53HWL		U7S54HWL	
BLACK	U7S73HZL		U7S74HZL		U7S70HZL		U7S62HZL		U7S60HZL		U7S52HZL		U7S53HZL		U7S54HZL	
LAMP																
BASE	GU10		GU10		GU10		GU10		GU10		GU10		GU10		GU10	
MAX.WATT	3x 10W		4x 10W		4x 10W		2x 10W		4x 10W		2x 10W		3x 10W		4x 10W	
VOLT	220V		220V		220V		220V		220V		220V		220V		220V	
CLASS	class I 		class I 		class I 		class I 		class I 		class I 		class I 		class I 	
GEAR	n-a		n-a		n-a		n-a		n-a		n-a		n-a		n-a	
DIMMABLE	YES		YES		YES		YES		YES		YES		YES		YES	
DIMENSIONS (mm)	L270x B47 x H160		L380x B47 x H160		L159x B159 x H160		L190 x B57 x H150		L122 x B122 x H150		L195 x B82 x H150		L320x B82 x H150		L445x B82x H150	



	ARTHIE 70 R5		ARTHIE 70 V1		ARTHIE 70 V4		ARTHIE 70 M10								
BRONZE	U7S55HOE		U7S51HOE		U7S50HOE		U7S5HOE								
NICKEL	U7S55HNM		U7S51HNM		U7S50HNM		U7S5HNM								
WHITE	U7S55HWL		U7S51HWL		U7S50HWL		U7S5HWL								
BLACK	U7S55HZL		U7S51HZL		U7S50HZL		U7S5HZL								
LAMP															
BASE	GU10		GU10		GU10		GU10								
MAX.WATT	5x 10W		10W		4x 10W		10W								
VOLT	220V		220V		220V		220V								
CLASS	class I 		class I 		class I 										
GEAR	n-a		n-a		n-a		n-a								
DIMMABLE	YES		YES		YES		YES								
DIMENSIONS (mm)	L570x B82 x H150		L82x B82 x H150		L195 x B195 x H150		M10 x H120								

This image shows a full page of blank, lined paper. It features approximately 20 evenly spaced horizontal grey lines across its entire width, providing a template for handwriting practice or general note-taking. The margins are consistent on all sides.

NOSTA / Arthur


Natural lighting with Arthur




Natural lighting with Arthur

Its recessed and near invisible light bulb, an aerodynamic shape and optimal lighting output are all typical for Arthur. The gold lacquered or bronze interior creates a pleasant warm light. The stylish design ensures a successful arrangement to create a serene or playful ambiance.





	ARTHUR C1B D9CM		ARTHUR C1 D10CM		ARTHUR LB1 D10CM		ARTHUR C1 D10CM		ARTHUR C1B D9CM		ARTHUR LB1 D10CM		ARTHUR M10 PENDANT		ARTHUR M10 SPOT	
BRONZE	U6H30LOE		U6H4LOE		U6H41LOE		U6S4LOE		U6S30LOE		U6S41LOE		U6H5LOE		U6S5LOE	
NICKEL / GOLD	U6H30LNM		U6H4LNM		U6H41LNM		U6S4LNM		U6S30LNM		U6S41LNM		U6H5LNM		U6S5LNM	
WHITE / GOLD	U6H30LWLD		U6H4LWLD		U6H41LWLD		U6S4LWLD		U6S30LWLD		U6S41LWLD		U6H5LWLD		U6S5LWLD	
BLACK / GOLD	U6H30LZLD		U6H4LZLD		U6H41LZLD		U6S4LZLD		U6S30LZLD		U6S41LZLD		U6H5LZLD		U6S5LZLD	
SPRING TYPE																
LAMP	QR111LP		QR111LP		QR111LP		QR111LP		QR111LP		QR111LP		QR111LP		QR111LP	
BASE	G53		G53		G53		G53		G53		G53		G53		G53	
MAX.WATT	15W		15W		15W		15W		15W		15W		15W		15W	
VOLT	12V		12V		220V		12V		12V		220V		12V		12V	
CLASS					class I						class I					
GEAR	not incorporated		not incorporated		incorporated		not incorporated		not incorporated		incorporated		not incorporated		not incorporated	
DIMMABLE	YES		YES		YES		YES		YES		YES		YES		YES	
DIMENSIONS (mm)	base D90 x H1400		base D100 x H1400		base D100 x H1400		base D100 x H150		base D100 x H150		base D100 x H175		H1400		M10 x H150	
	D 75mm-80mm		D 70mm				D 70mm		D 75mm-80mm							




	ARTHUR C1B D9CM		ARTHUR C1 D10CM		ARTHUR LB1 D10CM		ARTHUR C1 D10CM		ARTHUR C1B D9CM		ARTHUR LB1 D10CM		ARTHUR M10 PENDANT		ARTHUR M10 SPOT	
BRONZE	U6H30HOE		U6H4HOE		U6H41HOE		U6S4HOE		U6S30HOE		U6S41HOE		U6H5HOE		U6S5HOE	
NICKEL / GOLD	U6H30HNM		U6H4HNM		U6H41HNM		U6S4HNM		U6S30HNM		U6S41HNM		U6H5HNM		U6S5HNM	
WHITE / GOLD	U6H30HWHDS		U6H4HWHDS		U6H41HWHDS		U6S4HWHDS		U6S30HWHDS		U6S41HWHDS		U6H5HWHDS		U6S5HWHDS	
BLACK / GOLD	U6H30HZHDS		U6H4HZHDS		U6H41HZHDS		U6S4HZHDS		U6S30HZHDS		U6S41HZHDS		U6H5HZHDS		U6S5HZHDS	
SPRING TYPE																
LAMP																
BASE	GU10		GU10		GU10		GU10		GU10		GU10		GU10		GU10	
MAX.WATT	15W		15W		15W		15W		15W		15W		15W		15W	
VOLT	220V		220V		220V		220V		220V		220V		220V		220V	
CLASS					class I						class I					
GEAR	n-a		n-a		n-a		n-a		n-a		n-a		n-a		n-a	
DIMMABLE	YES		YES		YES		YES		YES		YES		YES		YES	
DIMENSIONS (mm)	base D90 x H1400		base D100 x H1400		base D100 x H1400		base D100 x H150		base D100 x H150		base D100 x H175		H1400		M10 x H150	
	D 75mm-80mm		D 70mm				D 70mm		D 75mm-80mm							

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.









NOSTA / Avignon

Admirable lighting with Avignon



Admirable lighting with Avignon

As clean and pure as it gets with high quality LED strips for an appealing light. Avignon can be placed directly above a dining table, home or office workspace.



	AVIGNON 1350 24W		AVIGNON 1350 24W		AVIGNON 1350 24W DIM		AVIGNON 1350 24W w/out driver		AVIGNON 2000 18W		AVIGNON 2000 18W		AVIGNON 2000 37W DIM		AVIGNON 2000 37W w/out driver	
BRONZE	U111H1DOE		U111H2DOE		U111H3DOE		U111H4DOE		U111H5DOE		U111H6DOE		U111H7DOE		U111H8DOE	
BLACK	U111H1DZL		U111H2DZL		U111H3DZL		U111H4DZL		U111H5DZL		U111H6DZL		U111H7DZL		U111H8DZL	
WHITE	U111H1DWL		U111H2DWL		U111H3DWL		U111H4DWL		U111H5DWL		U111H6DWL		U111H7DWL		U111H8DWL	
BRUSHED BRASS	U111H1DLB		U111H2DLB		U111H3DLB		U111H4DLB		U111H5DLB		U111H6DLB		U111H7DLB		U111H8DLB	
BASE																
CCT	2700		2700		2700		2700		2700		2700		2700		2700	
LED																
MAX.WATT	24W		24W		24W		24W		18W		18W		37W		37W	
LUMEN	2150lm		2150lm		2150lm		2150lm		2520lm		2520lm		3360lm		3360lm	
CLASS			class I		class I						class I		class I			
GEAR	incorporated		incorporated		incorporated		not incorporated		incorporated		incorporated		incorporated		not incorporated	
DIMMABLE	NO		NO		YES*		-		NO		NO		YES*		-	
DIMENSIONS (mm)	L1350 x H55 x B22		L1350 x H55 x B22		L1350 x H55 x B22		L1350 x H55 x B22		L1995 x H55 x B22		L1995 x H55 x B22		L1995 x H55 x B22		L1995 x H55 x B22	
	D 25mm						D 40mm- 80mm		D 25mm						D 40mm- 80mm	

* with dimmable driver 0~10V or PWM or resistance





** dimensions box see page 96

NOSTA / Cannes
Adorable lighting with Cannes

Adorable lighting with Cannes

The warm light of Cannes shines both up and down creating lovely shadows on your wall. Because of its fine finish and minimalist design Cannes fits perfectly into any interior. Cannes is deliverable for both indoor and outdoor.





	CANNES LED 4W indoor		CANNES LED 8W indoor		CANNES LED 4W outdoor		CANNES LED 6W outdoor								
BRONZE	U25A1DOE		U25A2DOE												
INOX	U25A1DNM		U25A2DNM		U25A4DNM		U25A3DNM								
WHITE	U25A1DWL		U25A2DWL		U25A4DWL		U25A3DWL								
BLACK	U25A1DZL		U25A2DZL		U25A4DZL		U25A3DZL								
BRUSHED BRASS	U25A1DLB		U25A2DLB												
LAMP / LED															
CCT	2700K		2700K		2700K		2700K								
LUMEN	210 + 210		439 + 439		210 + 210		300 + 300								
MAX.WATT	2W + 2W		4W + 4W		2W + 2W		3W + 3W								
VOLT	220V		220V		220V		220V								
CLASS	class I 		class I 		class I 		class I 								
GEAR	incorporated		incorporated		incorporated		incorporated								
DIMMABLE	NO		NO		NO		NO								
DIMENSIONS (mm)	D82 x B100 x H66		D82 x B100 x H66		D82 x B100 x H66		D82 x B100 x H66								

NOSTA / Chaplin

Glamorous lighting with Chaplin



Glamorous lighting with Chaplin

Chaplin is an elegant floorlamp (2 heights) with simplicity and balance as main characteristics. The rotational ability of the lamp makes the Chaplin a flexible fixture that can be used as a reading lamp or as accent lighting. Chaplin is available in various heights and features a switch and dimmer.





CHAPLIN 110		CHAPLIN 160													
BRONZE	U32F1LOE		U32F2LOE												
WHITE	U32F1LWL		U32F2LWL												
BLACK	U32F1LZL		U32F2LZL												
NICKEL	U32F1LNM		U32F2LNM												
LAMP	QR-70 		QR-70 												
BASE	Ba15d		Ba15d												
MAX.WATT	8W		8W												
VOLT	220V		220V												
CLASS	class I 		class I 												
GEAR	incorporated		incorporated												
DIMMABLE	incorporated dimmer		incorporated dimmer												
DIMENSIONS (mm)	D120 x H1100		D120 x H1600												

NOSTA / Charlie


Refined lighting with Charlie








Refined lighting with Charlie

The design in this collection of spots is reduced to the essence. The sophisticated style combined with the pleasant lighting ensures the perfect integration into the most sublime interiors. Its appearance is also the result of integrating durable and timeless materials.







	CHARLIE C1 D8CM		CHARLIE C1 D10CM		CHARLIE C1 D4.5CM		CHARLIE C1S D4.5CM		CHARLIE C1S D9CM		CHARLIE C1B D9CM		CHARLIE C2 D14CM		CHARLIE C3 D14CM	
BRONZE	U17S1LOE		U17S4LOE		U17S21LOE		U17S20LOE		U17S13LOE		U17S30LOE		U17S2LOE		U17S3LOE	
NICKEL	U17S1LNM		U17S4LNM		U17S21LNM		U17S20LNM		U17S13LNM		U17S30LNM		U17S2LNM		U17S3LNM	
WHITE	U17S1LWL		U17S4LWL		U17S21LWL		U17S20LWL		U17S13LWL		U17S30LWL		U17S2LWL		U17S3LWL	
BLACK	U17S1LZL		U17S4LZL		U17S21LZL		U17S20LZL		U17S13LZL		U17S30LZL		U17S2LZL		U17S3LZL	
SPRING TYPE																
LAMP	QR-70		QR-70		QR-70		QR-70		QR-70		QR-70		QR-70		QR-70	
BASE	Ba15d		Ba15d		Ba15d		Ba15d		Ba15d		Ba15d		Ba15d		Ba15d	
MAX.WATT	8W		8W		8W		8W		8W		8W		2x 8W		3x 8W	
VOLT	12V		12V		12V		12V		12V		12V		12V		12V	
CLASS																
GEAR	not incorporated		not incorporated		not incorporated		not incorporated		not incorporated		not incorporated		not incorporated		not incorporated	
DIMMABLE	YES		YES		YES		YES		YES		YES		YES		YES	
DIMENSIONS (mm)	D80 x H122		D100 x H122		D45 x H122		D45 x H122		D90 x H122		D90 x H122		D140 x H122		D140 x H122	
	D 40mm- 50mm		D 70mm		D 25mm		D 40mm		D 40mm- 80mm		D 75mm- 80mm		D 100mm		D 100mm	



	CHARLIE LB1 D8CM		CHARLIE LB1 D10CM		CHARLIE LB2 D14CM		CHARLIE LB3 D18CM		CHARLIE LB4 D18CM		CHARLIE MB1V		CHARLIE MB1R		CHARLIE MB2	
BRONZE	U17S19LOE		U17S41LOE		U17S42LOE		U17S43LOE		U17S44LOE		U17S71LOE		U17S71RLOE		U17S72LOE	
NICKEL	U17S19LNM		U17S41LNM		U17S42LNM		U17S43LNM		U17S44LNM		U17S71LNM		U17S71RLNM		U17S72LNM	
WHITE	U17S19LWL		U17S41LWL		U17S42LWL		U17S43LWL		U17S44LWL		U17S71LWL		U17S71RLWL		U17S72LWL	
BLACK	U17S19LZL		U17S41LZL		U17S42LZL		U17S43LZL		U17S44LZL		U17S71LZL		U17S71RLZL		U17S72LZL	
LAMP	QR-70 		QR-70 		QR-70 		QR-70 		QR-70 		QR-70 		QR-70 		QR-70 	
BASE	Ba15d		Ba15d		Ba15d		Ba15d		Ba15d		Ba15d		Ba15d		Ba15d	
MAX.WATT	8W		8W		2x 8W		3x 8W		4x 8W		8W		8W		2x 8W	
VOLT	220V		220V		220V		220V		220V		220V		220V		220V	
CLASS	class I 		class I 		class I 		class I 		class I 		class I 		class I 		class I 	
GEAR	incorporated		incorporated		incorporated		incorporated		incorporated		incorporated		incorporated		incorporated	
DIMMABLE	YES		YES		YES		YES		YES		YES		YES		YES	
DIMENSIONS (mm)	D80 x H150		D100 x H150		D140 x H150		D180 x H150		D180 x H150		L100x B100 x H160		L159x B47x H160		L159x B47x H160	



	CHARLIE MB3		CHARLIE MB4		CHARLIE MB4V		CHARLIE 2R BOX CLASSIC		CHARLIE 4V BOX CLASSIC		CHARLIE R2		CHARLIE R3		CHARLIE R4	
BRONZE	U17S73LOE		U17S74LOE		U17S70LOE		U17S62LOE		U17S60LOE		U17S52LOE		U17S53LOE		U17S54LOE	
NICKEL	U17S73LNM		U17S74LNM		U17S70LNM		U17S62LNM		U17S60LNM		U17S52LNM		U17S53LNM		U17S54LNM	
WHITE	U17S73LWL		U17S74LWL		U17S70LWL		U17S62LWL		U17S60LWL		U17S52LWL		U17S53LWL		U17S54LWL	
BLACK	U17S73LZL		U17S74LZL		U17S70LZL		U17S62LZL		U17S60LZL		U17S52LZL		U17S53LZL		U17S54LZL	
LAMP	QR-70 		QR-70 		QR-70 		QR-70 		QR-70 		QR-70 		QR-70 		QR-70 	
BASE	Ba15d		Ba15d		Ba15d		Ba15d		Ba15d		Ba15d		Ba15d		Ba15d	
MAX.WATT	3x 8W		4x 8W		4x 8W		2x 8W		4x 8W		2x 8W		3x 8W		4x 8W	
VOLT	220V		220V		220V		220V		220V		220V		220V		220V	
CLASS	class I 		class I 		class I 		class I 		class I 		class I 		class I 		class I 	
GEAR	incorporated		incorporated		incorporated		incorporated		incorporated		incorporated		incorporated		incorporated	
DIMMABLE	YES		YES		YES		YES		YES		YES		YES		YES	
DIMENSIONS (mm)	L270x B47 x H160		L380x B42 x H160		L159x B159 x H160		L162 x B57 x H160		L122 x B122 x H160		L195 x B82 x H150		L320 x B82 x H150		L445 x B82 x H150	



	CHARLIE R5		CHARLIE V1		CHARLIE V4		CHARLIE M10		CHARLIE -A-LB1 D8CM		CHARLIE -A-MB2					
BRONZE	U17S55LOE		U17S51LOE		U17S50LOE		U17S5LOE		U17A19LOE		U17A72LOE					
NICKEL	U17S55LNM		U17S51LNM		U17S50LNM		U17S5LNM		U17A19LNM		U17A72LNM					
WHITE	U17S55LWL		U17S51LWL		U17S50LWL		U17S5LWL		U17A19LWL		U17A72LWL					
BLACK	U17S55LZL		U17S51LZL		U17S50LZL		U17S5LZL		U17A19LZL		U17A72LZL					
LAMP	QR-70 		QR-70 		QR-70 		QR-70 		QR-70 		QR-70 					
BASE	Ba15d		Ba15d		Ba15d		Ba15d		Ba15d		Ba15d					
MAX.WATT	5x 8W		8W		4x 8W		8W		8W		2x 8W					
VOLT	220V		220V		220V		12V		220V		220V					
CLASS	class I 		class I 		class I 				class I 		class I 					
GEAR	incorporated		incorporated		incorporated		not incorporated		incorporated		incorporated					
DIMMABLE	YES		YES		YES		YES		YES		YES					
DIMENSIONS (mm)	L570 x B82 x H150		L82 x B82 x H150		L195 x B195 x H150		M10 x H120		D80 x B220 x H190		L159 x B82 x H190					




This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

NOSTA / Geronda
Efficient lighting with Geronda



Efficient lighting with Geronda

A minimalistic design with a dynamic appearance and appeal. This recessed downlight will perfectly fit in classic, vintage, urban or ultramodern interior design. Geronda is available in 2 sizes.



	GERONDA 1		GERONDA 2		DRIVER T2		DRIVER T3		DRIVER T4					
BRONZE	U104E1DOE		U104E2DOE											
NICKEL	U104E1DNM		U104E2DNM											
WHITE	U104E1DWL		U104E2DWL		OD02DT02		OD02DT04		ID01DP02					
BLACK	U104E1DZL		U104E2DZL											
							GERONDA 1							
LED														
CCT	2700		2700											
MAX.CURRENT	maximum 500mA		maximum 350mA		350mA		500mA		250...700mA ¹					
MAX.WATT	10W		6,6W		6,3 - 13W		6,3 - 18W		32W					
LUMEN	1350 lm (500mA)		618 lm (350mA)											
CLASS					class II 		class II 		class II 					
GEAR	not incorporated		not incorporated											
DIMMABLE	-		-		YES - TRIAC		YES - TRIAC		YES - PUSH & 1..10V					
DIMENSIONS (mm)	L108 x B62 x H115		L175 x B62 x H115		L119 x B53 x H25		L119 x B53 x H30		L103 x B67 x H21					
	L80 x B54 x H72		L142 x B54 x H65											

1 - current adjustable - do not exceed the indicated maximum current

NOSTA / Louis

Minimalistic lighting with Louis











Minimalistic lighting with Louis









A lot of thought, practice and time went into the production and development of this little spot, just to find the supreme excellence of simplicity. The fruit of Nosta's coherent design philosophy, craft and technology. The LED's are developed in world leading lab's and are the best in its class. You see and feel the difference.



	LOUIS C1 D8CM		LOUIS C1 D10CM		LOUIS C1 D4,5CM		LOUIS C1S D4,5CM		LOUIS C1S D9CM		LOUIS C1B D9CM		LOUIS C2 D14CM		LOUIS C3 D14CM	
BRONZE	U9S1DOE		U9S4DOE		U9S21DOE		U9S20DOE		U9S13DOE		U9S30DOE		U9S2DOE		U9S3DOE	
NICKEL	U9S1DNM		U9S4DNM		U9S21DNM		U9S20DNM		U9S13DNM		U9S30DNM		U9S2DNM		U9S3DNM	
WHITE	U9S1DWL		U9S4DWL		U9S21DWL		U9S20DWL		U9S13DWL		U9S30DWL		U9S2DWL		U9S3DWL	
BLACK	U9S1DZL		U9S4DZL		U9S21DZL		U9S20DZL		U9S13DZL		U9S30DZL		U9S2DZL		U9S3DZL	
SPRING TYPE																
LED																
CCT	2700		2700		2700		2700		2700		2700		2700		2700	
ANGLE	15° 1		15° 1		15° 1		15° 1		15° 1		15° 1		15° 1		15° 1	
MAX.CURRENT	700mA		700mA		700mA		700mA		700mA		700mA		700mA		700mA	
MAX.WATT	2W		2W		2W		2W		2W		2W		2x 2W		3x 2W	
LUMEN	210		210		210		210		210		210		210		210	
CLASS																
GEAR	not incorporated		not incorporated		not incorporated		not incorporated		not incorporated		not incorporated		not incorporated		not incorporated	
DIMMABLE	-		-		-		-		-		-		-		-	
DIMENSIONS (mm)	D80 x H90		D100 x H90		D45 x H90		D45 x H90		D90 x H90		D90 x H90		D140 x H90		D140 x H90	
	D 40mm-50mm		D 70mm		D 25mm		D 40mm		D 40mm-80mm		D 75mm-85mm		D 100mm		D 100mm	








	LOUIS LB1 D8CM		LOUIS LB1 D10CM		LOUIS LB2 D14CM		LOUIS LB3 D14CM		LOUIS LB4 D14CM		LOUIS MB1V		LOUIS MB1R		LOUIS MB2	
BRONZE	U9S19DOE		U9S41DOE		U9S42DOE		U9S43DOE		U9S44DOE		U9S71DOE		U9S71RDOE		U9S72DOE	
NICKEL	U9S19DNM		U9S41DNM		U9S42DNM		U9S43DNM		U9S44DNM		U9S71DNM		U9S71RDNM		U9S72DNM	
WHITE	U9S19DWL		U9S41DWL		U9S42DWL		U9S43DWL		U9S44DWL		U9S71DWL		U9S71RDWL		U9S72DWL	
BLACK	U9S19DZL		U9S41DZL		U9S42DZL		U9S43DZL		U9S44DZL		U9S71DZL		U9S71RDZL		U9S72DZL	
LED																
CCT	2700		2700		2700		2700		2700		2700		2700		2700	
ANGLE	15° ¹		15° ¹		15° ¹		15° ¹		15° ¹		15° ¹		15° ¹		15° ¹	
MAX.CURRENT	700mA		700mA		700mA		700mA		700mA		700mA		700mA		700mA	
MAX.WATT	2W		2W		2x 2W		3x 2W		4x 2W		2W		2W		2x 2W	
LUMEN	210		210		210		210		210		210		210		210	
CLASS	class I 		class I 		class I 		class I 		class I 		class I 		class I 		class I 	
GEAR	incorporated		incorporated		incorporated		incorporated		incorporated		incorporated		incorporated		incorporated	
DIMMABLE	NO		NO		NO		NO		NO		NO ²		NO ²		NO	
DIMENSIONS (mm)	D80 x H116		D100 x H116		D140 x H116		D140 x H116		D140 x H116		L100 x B100 x H134		L159 x B47 x H134		L159 x B47 x H134	



	LOUIS MB3		LOUIS MB4		LOUIS MB4V		LOUIS 2R BOX CLASSIC		LOUIS 4V BOX CLASSIC		LOUIS R2		LOUIS R3		LOUIS R4	
BRONZE	U9S73DOE		U9S74DOE		U9S70DOE		U9S62DOE		U9S60DOE		U9S52DOE		U9S53DOE		U9S54DOE	
NICKEL	U9S73DNM		U9S74DNM		U9S70DNM		U9S62DNM		U9S60DNM		U9S52DNM		U9S53DNM		U9S54DNM	
WHITE	U9S73DWL		U9S74DWL		U9S70DWL		U9S62DWL		U9S60DWL		U9S52DWL		U9S53DWL		U9S54DWL	
BLACK	U9S73DZL		U9S74DZL		U9S70DZL		U9S62DZL		U9S60DZL		U9S52DZL		U9S53DZL		U9S54DZL	
LED																
CCT	2700		2700		2700		2700		2700		2700		2700		2700	
ANGLE	15° ¹		15° ¹		15° ¹		15° ¹		15° ¹		15° ¹		15° ¹		15° ¹	
MAX.CURRENT	700mA		700mA		700mA		700mA		700mA		700mA		700mA		700mA	
MAX.WATT	3x 2W		4x 2W		4x 2W		2x 2W		4x 2W		2x 2W		3x 2W		4x 2W	
LUMEN	210		210		210		210		210		210		210		210	
CLASS	class I 		class I 		class I 		class I 		class I 		class I 		class I 		class I 	
GEAR	incorporated		incorporated		incorporated		incorporated		incorporated		incorporated		incorporated		incorporated	
DIMMABLE	NO		NO		NO ²		NO ²		NO ²		NO ²		NO ²		NO ²	
DIMENSIONS (mm)	L270x B47 x H139		L380x B47 x H139		L159x B159 x H139		L190x B57 x H139		L122 x B122 x H139		L195 x B82 x H130		L320 x B82 x H130		L445 x B82 x H130	

¹ 32° upon request

² dimmable upon request



	LOUIS R5		LOUIS V1		LOUIS V4		LOUIS M10		LOUIS FLOOR 80CM		LOUIS FLOOR 100CM		LOUIS -T- 40CM LB1 10CM incl. switch		LOUIS -T- 60CM LB1 10CM incl. switch	
BRONZE	U9S55DOE		U9S51DOE		U9S50DOE		U9S5DOE		U9F1DOE		U9F2DOE		U9TC49DOE		U9TE49DOE	
NICKEL	U9S55DNM		U9S51DNM		U9S50DNM		U9S5DNM		U9F1DNM		U9F2DNM		U9TC49DNM		U9TE49DNM	
WHITE	U9S55DWL		U9S51DWL		U9S50DWL		U9S5DWL									
BLACK	U9S55DZL		U9S51DZL		U9S50DZL		U9S5DZL									
LED																
CCT	2700		2700		2700		2700		2700		2700		2700		2700	
ANGLE	15° 1		15° 1		15° 1		15° 1		32°		32°		32°		32°	
MAX.CURRENT	700mA		700mA		700mA		700mA		700mA		700mA		700mA		700mA	
MAX.WATT	5x 2W		2W		4x 2W		2W		2W		2W		2W		2W	
LUMEN	210		210		210		210		210		210		210		210	
CLASS	class I 		class I 		class I 				class I 		class I 		class I 		class I 	
GEAR	incorporated		incorporated		incorporated		not incorporated		incorporated		incorporated		incorporated		incorporated	
DIMMABLE	NO 2		NO		NO 2		NO		NO		NO		NO		NO	
DIMENSIONS (mm)	L570 x B82 x H130		L82 x B82 x H130		L195x B195 x H130		M10 x H90		D180 x H800		D180 x H1000		D100 x L465		D100 x L665	


This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

NOSTA / Louis SR
Perfect lighting with Louis



Perfect lighting with Louis

A functional and elegant recessed lighting fixture, realised with ingenious technology and an aim for simplicity and perfection, refined and classy. A clever asymmetric system makes it possible to tilt the spots from 0° to 57° and turn them 360°.






	LOUIS SR 1	LOUIS SR 2	LOUIS SR 3	DRIVER T5	DRIVER T6	DRIVER T4								
BRONZE	U9SR1DOE	U9SR2DOE	U9SR3DOE											
NICKEL	U9SR1DNM	U9SR2DNM	U9SR3DNM											
WHITE	U9SR1DWL	U9SR2DWL	U9SR3DWL	OD01CS02	ID01DP05	ID01DP02								
BLACK	U9SR1DZL	U9SR2DZL	U9SR3DZL											
LED														
CCT	2700	2700	2700											
ANGLE	15° ¹	15° ¹	15° ¹											
MAX.CURRENT	maximum 700mA	maximum 700mA	maximum 700mA	500/600/700mA ²	700mA	250...700mA ¹								
MAX.WATT	2W	2 x 2W	3 x 2W	25W (min 6 / max 12 spots)	10W (min 2 / max 4 spots)	32W								
LUMEN	210 lm	210 lm	210 lm											
CLASS				class II 	class II 	class II 								
GEAR	not incorporated	not incorporated	not incorporated											
DIMMABLE	-	-	-	NO	YES - TRIAC	YES - PUSH & 1..10V								
DIMENSIONS (mm)	L108 x B62 x H115	L175 x B62 x H115	L226 x B62 x H115	L77 x B40 x H27	L86 x B38 x H21	L103 x B67 x H21								
	L80 x B54 x H72	L142 x B54 x H65	L200 x B54 x H65											

NOSTA / Marcel
Classic lighting with Marcel



Classic lighting with Marcel


With his elegant details and decorative elements Marcel sheds a new light on classic beauty. Marcel's pleasant appearance is the perfect finishing touch to your interior.



	MARCEL C1 D8CM shade not included		MARCEL V1 D8CM shade not included		MARCEL LB1 D8CM shade not included			MARCEL SHADE D20cm		MARCEL SHADE D25cm					
BRONZE	U102A1IOE		U102A8IOE		U102A19IOE		WHITE	UA101WT		UA102WT					
NICKEL	U102A1INM		U102A8INM		U102A19INM		BLACK	UA101ZT		UA102ZT					
BLACK	U102A1IZL		U102A8IZL		U102A19IZL		BROWN	UA101MT		UA102MT					
LAMP	A60		A60		A60										
BASE	E27		E27		E27										
MAX.WATT	15W		15W		15W										
VOLT	220V		220V		220V										
CLASS					class I 										
GEAR	n/a		n/a		n/a										
DIMMABLE	YES		YES		YES										
DIMENSIONS (mm)	D80		L82 x B82		D80			D200 x H132		D250 x H160					
	D 40mm-50mm		D 40mm-50mm												


NOSTA / Nice

Easy lighting with Nice



Easy lighting with Nice

The Nice dimensions are calculated using the golden ratio to attribute the highest aesthetic value to this armature. The ratios are perceived as natural and appealing and the rigid, sober lines facilitate the integration of Nice both in formal and domestic interiors. Thus, no coincidence that Nice is a bestseller in the Nosta collection.




	NICE R7s indoor		NICE LED 8W indoor		NICE LED 12W indoor		NICE LED 12W DIM indoor		NICE LED 8W outdoor		NICE LED 12W outdoor		NICE LED 4W UP or DOWN outdoor		NICE LED 8W UP or DOWN outdoor	
BRONZE	U21A1HOE		U21A2DOE		U21A1DOE		U21A4DOE									
INOX	U21A1HNM		U21A2DNM		U21A1DNM		U21A4DNM		U21A3DNM		U21A6DNM		U21A8DNM		U21A7DNM	
WHITE	U21A1HWL		U21A2DWL		U21A1DWL		U21A4DWL		U21A3DWL		U21A6DWL		U21A8DWL		U21A7DWL	
BLACK	U21A1HZL		U21A2DZL		U21A1DZL		U21A4DZL		U21A3DZL		U21A6DZL		U21A8DZL		U21A7DZL	
BRUSHED BRASS	U21A1HLB		U21A2DLB		U21A1DLB		U21A4DLB									
LAMP / LED																
BASE	R7S/79															
CCT			2700K		2700K		2700K		2700K		2700K		2700K		2700K	
LUMEN			439+439		878+439		878+439		439+439		878+439		439		878	
MAX.WATT	5W		4W + 4W		8W + 4W		8W+4W		4W + 4W		8W+4W		4W		8W	
VOLT	220V		220V		220V		220V		220V		220V		220V		220V	
CLASS	class I 		class I 		class I 		class I 		class I 		class I 		class I 		class I 	
GEAR	n/a		incorporated		incorporated		incorporated		incorporated		incorporated		incorporated		incorporated	
DIMMABLE	YES		NO		NO		YES		NO		NO		NO		NO	
DIMENSIONS (mm)	L150 x B70 x H50		L150 x B70 x H50		L150 x B70 x H50		L150 x B70 x H50		L150 x B70 x H50		L150 x B70 x H50		L150 x B70 x H50		L150 x B70 x H50	

NOSTA / Nina
Lovely lighting with Nina



Lovely lighting with Nina

Less is more is Nosta's believe. Maintaining optimal performances in a pure and minimalistic design is not a simple task. Nina is a nice example of a technical tour the force where form follows function. The result is a lovely and high performing little recessed down light.










	NINA 55	NINA 90	DRIVER T5	DRIVER T2	DRIVER T6	DRIVER T9							
BRONZE	U108E1DOE	U109E1DOE											
NICKEL	U108E1DNM	U109E1DNM											
WHITE	U108E1DWL	U109E1DWL	OD01CS02	OD02DT02	ID01DP05	ID01DP04							
BLACK	U108E1DZL	U109E1DZL											
			NINA 55	NINA 90	NINA 55	NINA 90							
LED													
CCT	2700	2700											
ANGLE	32° ¹	25° ³											
MAX.CURRENT	maximum 900mA	maximum 350mA	500/600/700mA ²	350mA	700mA	100...380mA ²							
MAX.WATT	2,5W (900mA)	6W	25W~700mA (min 6 / max 12 spots)	6,3W - 13W (max 2 spots)	10W~700mA (min 2 / max 4 spots)	18W~340mA (max 3 spots)							
LUMEN	225 lm	740 lm											
CLASS			class II 	class II 	class II 	class II 							
GEAR	not incorporated	not incorporated											
DIMMABLE	-	-	NO	YES - TRIAC	YES - TRIAC	YES - PUSH & 1..10V							
DIMENSIONS (mm)	Ø55 x H58	Ø90 x H80	L77 x B40 x H27	L119 x B53 x H25	L102 x B38 x H21	L108 x B52 x H22							
	45mm	75-80mm											

NOSTA / Noche
Charming lighting with Noche









Charming lighting with Noche

Noche's charming light effect reveals his well-considered form. While the discrete lighting source was eliminated in the armature to prevent blinding, the lighting output is optimal, even when the armature is mounted high. Noche is available in 2 lengths.



	NOCHE G9 indoor		NOCHE G9 outdoor		NOCHE DOWNLIGHT cover*		NOCHE LED 4W indoor		NOCHE LED 8W indoor		NOCHE LED 14W indoor		NOCHE LED 3W outdoor		NOCHE LED 6W outdoor	
BRONZE	U22A1HOE		U22A2HOE		U22P1OE		U22A1DOE		U22A9DOE		U22A12DOE					
INOX	U22A1HNM		U22A2HNM		U22P1NM		U22A1DNM		U22A9DNM		U22A12DNM		U22A2DNM		U22A8DNM	
WHITE	U22A1HWL		U22A2HWL		U22P1WL		U22A1DWL		U22A9DWL		U22A12DWL		U22A2DWL		U22A8DWL	
BLACK	U22A1HZL		U22A2HZL		U22P1ZL		U22A1DZL		U22A9DZL		U22A12DZL		U22A2DZL		U22A8DZL	
BRUSHED BRASS	U22A1HLB				U22P1LB		U22A1DLB		U22A9DLB		U22A12DLB					
LAMP / LED																
BASE	G9		G9													
CCT							2700K		2700K		2700K		2700K		2700K	
LUMEN							185 + 185		439 + 439		618 + 618		185 + 185		337 + 337	
MAX.WATT	5W		5W				2W + 2W		4W + 4W		6,6W + 6,6W		1,5W + 1,5W		3W + 3W	
VOLT	220V		220V				220V		220V		220V		220V		220V	
CLASS	class I 		class I 		class I 		class I 		class I 		class I 		class I 		class I 	
GEAR	n/a		n/a				incorporated		incorporated		incorporated		incorporated		incorporated	
DIMMABLE	YES		YES				NO		NO		NO		NO		NO	
DIMENSIONS (mm)	L106 x B111 x H100		L106 x B111 x H100		L75 x B98 x H50		L106 x B111 x H100		L106 x B111 x H100		L106 x B111 x H100		L106 x B111 x H100		L106 x B111 x H100	

* for model U22A1Hxx and U22A2Hxx



	NOCHE LED 1,5W DOWN outdoor		NOCHE LED 3W DOWN outdoor		NOCHE 220 indoor		NOCHE 220 LED 12W indoor		NOCHE 220 LED 16W indoor DIM		NOCHE 220 LED 12W outdoor			
BRONZE					U22A4HOE		U22A4DOE		U22A13DOE					
INOX	U22A7DNM		U22A11DNM		U22A4HNM		U22A4DNM		U22A13DNM		U22A14DNM			
WHITE	U22A7DWL		U22A11DWL		U22A4HWL		U22A4DWL		U22A13DWL		U22A14DWL			
BLACK	U22A7DZL		U22A11DZL		U22A4HZL		U22A4DZL		U22A13DZL		U22A14DZL			
BRUSHED BRASS					U22A4HLB		U22A4DLB		U22A13DLB					
LAMP / LED														
BASE					R7S/119									
CCT	2700K		2700K				2700K		2700K		2700K			
LUMEN	185		300				878+439		878+878		878+439			
MAX.WATT	1,5W		3W		10W		8W + 4W		8W + 8W		8W + 4W			
VOLT	220V		220V		220V		220V		220V		220V			
CLASS	class I 		class I 		class I 		class I 		class I 		class I 			
GEAR	incorporated		incorporated		n/a		incorporated		incorporated		incorporated			
DIMMABLE	NO		NO		YES		NO		YES		NO			
DIMENSIONS (mm)	L106 x B111 x H100		L106 x B111 x H100		L200 x B100 x H90		L200 x B100 x H90		L200 x B100 x H90		L200 x B100 x H90			

[illegible]






NOSTA / Paris

Harmonious lighting with Paris



Harmonious lighting with Paris

With its rigid and tough-looking design, its high quality materials and subtle elegance, Paris casts a new light in and around your home. The beam is not blinding, although it offers a bright and functional lighting. The stylish Paris is available in an indoor and outdoor version. The functionality and simplicity of its design makes this wall lamp very popular in the world of illumination.



	PARIS R7s indoor	PARIS LED 12W indoor	PARIS LED 16W DIM indoor	PARIS LED 12W outdoor	PARIS LED 8W UP or DOWN outdoor									
BRONZE	U20A1HOE		U20A1DOE		U20A5DOE									
INOX	U20A1HNM		U20A1DNM		U20A5DNM		U20A2DNM		U20A6DNM					
WHITE	U20A1HWL		U20A1DWL		U20A5DWL		U20A2DWL		U20A6DWL					
BLACK	U20A1HZL		U20A1DZL		U20A5DZL		U20A2DZL		U20A6DZL					
BRUSHED BRASS	U20A1HLB		U20A1DLB		U20A5DLB									
LAMP / LED														
BASE	R7S/119													
CCT		2700K	2700K	2700K	2700K									
LUMEN		878 + 439	878 + 878	878 + 439	878									
MAX.WATT	10W	8W + 4W	8W + 8W	8W + 4W	8W									
VOLT	220V	220V	220V	220V	220V									
CLASS	class I 	class I 	class I 	class I 	class I 									
GEAR	n/a	incorporated	incorporated	incorporated	incorporated									
DIMMABLE	YES	NO	YES	NO	NO									
DIMENSIONS (mm)	L200 x B100 x H90	L200 x B100 x H90	L200 x B100 x H90	L200 x B100 x H90	L200 x B100 x H90									

NOSTA / Sati eco II
Magnificent lighting with Sati







Magnificent lighting with Sati









The same aura of pure luxury surrounds the Sati ECO II as it does with the original Sati. The SATI ECO II is specially developed for LED reflector 111 bulb's and is suited for almost all types of AR111 bulbs including the original halogen version. (we recommend the LED bulbs from Ecolumia or Vintage ledlight).






	SATI ECO II C1 D8CM		SATI ECO II C1 D10CM		SATI ECO II C1 D4.5CM		SATI ECO II C1S D4.5CM		SATI ECO II C1S D9CM		SATI ECO II C1B D9CM		SATI ECO II C2 D14CM		SATI ECO II LB1 D8CM	
BRONZE	U19S1DOE		U19S4DOE		U19S21DOE		U19S20DOE		U19S13DOE		U19S30DOE		U19S2DOE		U19S19DOE	
NICKEL	U19S1DNM		U19S4DNM		U19S21DNM		U19S20DNM		U19S13DNM		U19S30DNM		U19S2DNM		U19S19DNM	
WHITE	U19S1DWL		U19S4DWL		U19S21DWL		U19S20DWL		U19S13DWL		U19S30DWL		U19S2DWL		U19S19DWL	
BLACK	U19S1DZL		U19S4DZL		U19S21DZL		U19S20DZL		U19S13DZL		U19S30DZL		U19S2DZL		U19S19DZL	
SPRING TYPE																
LAMP	QR111LP		QR111LP		QR111LP		QR111LP		QR111LP		QR111LP		QR111LP		QR111LP	
BASE	G53		G53		G53		G53		G53		G53		G53		G53	
MAX.WATT	15W		15W		15W		15W		15W		15W		2x 15W		15W	
VOLT	12V		12V		12V		12V		12V		12V		12V		220V	
CLASS															class I	
GEAR	not incorporated		not incorporated		not incorporated		not incorporated		not incorporated		not incorporated		not incorporated		incorporated	
DIMMABLE	YES		YES		YES		YES		YES		YES		YES		YES	
DIMENSIONS (mm)	D80 x H150		D100 x H150		D45 x H150		D45 x H150		D90 x H150		D90 x H150		D140 x H150		D80 x H170	
	D 40mm- 50mm		D 70mm		D 25mm		D 40mm		D 40mm- 80mm		D 75mm- 80mm		D 100mm			



	SATI ECO II LB1 D10CM		SATI ECO II LB2 D14CM		SATI ECO II LB3 D18CM		SATI ECO II LB4 D18CM		SATI ECO II 2R BOX CLASSIC		SATI ECO II 4V BOX CLASSIC		SATI ECO II MB1V		SATI ECO II MB1R	
BRONZE	U19S41DOE		U19S42DOE		U19S43DOE		U19S44DOE		U19S62DOE		U19S60DOE		U19S71DOE		U19S71RDOE	
NICKEL	U19S41DNM		U19S42DNM		U19S43DNM		U19S44DNM		U19S62DNM		U19S60DNM		U19S71DNM		U19S71RDNM	
WHITE	U19S41DWL		U19S42DWL		U19S43DWL		U19S44DWL		U19S62DWL		U19S60DWL		U19S71DWL		U19S71RDWL	
BLACK	U19S41DZL		U19S42DZL		U19S43DZL		U19S44DZL		U19S62DZL		U19S60DZL		U19S71DZL		U19S71RDZL	
LAMP	QR111LP 		QR111LP 		QR111LP 		QR111LP 		QR111LP 		QR111LP 		QR111LP 		QR111LP 	
BASE	G53		G53		G53		G53		G53		G53		G53		G53	
MAX.WATT	15W		2x 15W		3x 15W		4x 15W		2x 15W		4x 15W		15W		15W	
VOLT	220V		220V		220V		220V		220V		220V		220V		220V	
CLASS	class I 		class I 		class I 		class I 		class I 		class I 		class I 		class I 	
GEAR	incorporated		incorporated		incorporated		incorporated		incorporated		incorporated		incorporated		incorporated	
DIMMABLE	YES		YES		YES		YES		YES		YES		YES		YES	
DIMENSIONS (mm)	D100 x H170		D140 x H170		D180 x H170		D180 x H170		L162 x B57 x H170		L122 x B122 x H170		L100x B100 x H160		L159x B47x H160	



	SATI ECO II MB2		SATI ECO II MB3		SATI ECO II MB4		SATI ECO II MB4V		SATI ECO II V1		SATI ECO II R2		SATI ECO II R3		SATI ECO II R4	
BRONZE	U19S72DOE		U19S73DOE		U19S74DOE		U19S70DOE		U19S51DOE		U19S52DOE		U19S53DOE		U19S54DOE	
NICKEL	U19S72DNM		U19S73DNM		U19S74DNM		U19S70DNM		U19S51DNM		U19S52DNM		U19S53DNM		U19S54DNM	
WHITE	U19S72DWL		U19S73DWL		U19S74DWL		U19S70DWL		U19S51DWL		U19S52DWL		U19S53DWL		U19S54DWL	
BLACK	U19S72DZL		U19S73DZL		U19S74DZL		U19S70DZL		U19S51DZL		U19S52DZL		U19S53DZL		U19S54DZL	
LAMP	QR111LP 		QR111LP 		QR111LP 		QR111LP 		QR111LP 		QR111LP 		QR111LP 		QR111LP 	
BASE	G53		G53		G53		G53		G53		G53		G53		G53	
MAX.WATT	2x 15W		3x 15W		4x 15W		4x 15W		15W		2x 15W		3x 15W		4x 15W	
VOLT	220V		220V		220V		220V		220V		220V		220V		220V	
CLASS	class I 		class I 		class I 		class I 		class I 		class I 		class I 		class I 	
GEAR	incorporated		incorporated		incorporated		incorporated		incorporated		incorporated		incorporated		incorporated	
DIMMABLE	YES		YES		YES		YES		YES		YES		YES		YES	
DIMENSIONS (mm)	L159x B47x H160		L270 x B82 x H160		L380 x B82 x H160		L159x B159 x H160		L82 x B82 x H170		L195 x B82 x H170		L320 x B82 x H170		L445 x B82 x H170	



	SATI ECO II V4		SATI ECO II R5		SATI ECO II M10		COVER RING								
BRONZE	U19S50DOE		U19S55DOE		U19S5DOE		UP101OE								
NICKEL	U19S50DNM		U19S55DNM		U19S5DNM		UP101NM								
WHITE	U19S50DWL		U19S55DWL		U19S5DWL		UP101WL								
BLACK	U19S50DZL		U19S55DZL		U19S5DZL		UP101ZL								
LAMP	QR111LP 		QR111LP 		QR111LP 										
BASE	G53		G53		G53										
MAX.WATT	4x 15W		5x 15W		15W										
VOLT	220V		220V		12V										
CLASS	class I 		class I 												
GEAR	incorporated		incorporated		not incorporated										
DIMMABLE	YES		YES		YES										
DIMENSIONS (mm)	L195 x B195 x H170		L570 x B82 x H170		M10 x H150										




This image shows a full page of blank white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page, providing a template for writing or drawing. There are no margins, text, or other markings present.

NOSTA / Toulouse
Lovely lighting with Toulouse



Lovely lighting with Toulouse

The Toulouse dimensions are calculated using the golden ratio to attribute the highest aesthetic value to this armature. The ratios are therefore perceived as pleasing. The rigid, sober lines facilitate the integration of Toulouse both in formal and domestic interiors.



	TOULOUSE V 4W indoor		TOULOUSE V 3W outdoor		TOULOUSE H 8W indoor		TOULOUSE H 14W DIM indoor		TOULOUSE H 8W outdoor		TOULOUSE P 2W indoor		TOULOUSE P 2W outdoor	
BRONZE	U105A2DOE				U106A1DOE		U106A3DOE				U107A1DOE			
INOX	U105A2DNM		U105A4DNM		U106A1DNM		U106A3DNM		U106A5DNM		U107A1DNM		U107A2DNM	
WHITE	U105A2DWL		U105A4DWL		U106A1DWL		U106A3DWL		U106A5DWL		U107A1DWL		U107A2DWL	
BLACK	U105A2DZL		U105A4DZL		U106A1DZL		U106A3DZL		U106A5DZL		U107A1DZL		U107A2DZL	
BRUSHED BRASS	U105A2DLB				U106A1DLB		U106A3DLB				U107A1DLB			
LAMP / LED														
CCT	2700K		2700K		2700K		2700K		2700K		2700K		2700K	
LUMEN	195 + 195		170 + 170		439 + 439		618 + 618		439 + 439		195		195	
MAX.WATT	2W + 2W		1,5W + 1,5W		4W + 4W		6,6W + 6,6W		4W + 4W		2W		2W	
VOLT	220V		220V		220V		220V		220V		220V		220V	
CLASS	class I 		class I 		class I 		class I 		class I 		class I 		class I 	
GEAR	incorporated		incorporated		incorporated		incorporated		incorporated		incorporated		incorporated	
DIMMABLE	NO		NO		NO		YES - TRIAC		NO		NO		NO	
DIMENSIONS (mm)	D50 x B43 x H140		D50 x B43 x H140		D42 x B97 x H160		D42 x B97 x H160		D42 x B97 x H160		D48 x B44 x H68		D48 x B44 x H68	



NOSTA / Victor GU10

Pure lighting with Victor

Pure lighting with Victor

The Victor GU10 is designed to obtain a versatile accent lighting solution with a discrete elegant design. The GU10 is perfectly suited for LED retrofit bulbs.














	VICTOR C1 Ø8CM		RING Ø7,5CM		VICTOR C1 Ø10CM		VICTOR C1B² Ø9CM		VICTOR SB1 Ø5,5CM		VICTOR SB1 Ø10CM		VICTOR M10		VICTOR MB1V	
BRONZE	U10S1HOE				U10S4HOE		U10S30HOE		U10S90HOE*		U10S91HOE*		U10S5HOE		U10S71HOE	
BLACK	U10S1HZL		UP12ZL		U10S4HZL		U10S30HZL		U10S90HZL		U10S91HZL		U10S5HZL		U10S71HZL	
WHITE	U10S1HWL		UP12WL		U10S4HWL		U10S30HWL		U10S90HWL		U10S91HWL		U10S5HWL		U10S71HWL	
BRUSHED BRASS	U10S1HLB				U10S4HLB		U10S30HLB		U10S90HLB*		U10S91HLB*		U10S5HLB		U10S71HLB	
SPRING TYPE																
LAMP																
BASE	GU10				GU10		GU10		GU10		GU10		GU10		GU10	
MAX.WATT	10W				10W		10W		10W		10W		10W		10W	
VOLT	220V				220V		220V		220V		220V		220V		220V	
CLASS									class I		class I				class I	
GEAR	n-a				n-a		n-a		n-a		n-a		n-a		n-a	
DIMMABLE	YES				YES		YES		YES		YES		YES		YES	
DIMENSIONS (mm)	D80 x H150		D75 x H15		D100 x H150		D90 x H150		D55 x H177		D100 x H177		M10 x H150		L100x B100 x H190	
	D 40mm- 50mm				D 70mm		D 75mm- 85mm									

* - with black base (white base available upon request)

² C1B available on request for drillhole 45-60mm



	VICTOR MB1R		VICTOR MB2		VICTOR MB3		VICTOR MB4		VICTOR MB4V		VICTOR R2		VICTOR R3		VICTOR R4	
BRONZE	U10S71RHOE		U10S72HOE		U10S73HOE		U10S74HOE		U10S70HOE		U10S52HOE		U10S53HOE		U10S54HOE	
BLACK	U10S71RHZL		U10S72HZL		U10S73HZL		U10S74HZL		U10S70HZL		U10S52HZL		U10S53HZL		U10S54HZL	
WHITE	U10S71RHWL		U10S72HWL		U10S73HWL		U10S74HWL		U10S70HWL		U10S52HWL		U10S53HWL		U10S54HWL	
BRUSHED BRASS	U10S71RHLB		U10S72HLB		U10S73HLB		U10S74HLB		U10S70HLB							
LAMP																
BASE	GU10		GU10		GU10		GU10		GU10		GU10		GU10		GU10	
MAX.WATT	10W		2x 10W		3x 10W		4x 10W		4x 10W		2x 10W		3x 10W		4x 10W	
VOLT	220V		220V		220V		220V		220V		220V		220V		220V	
CLASS	class I 		class I 		class I 		class I 		class I 		class I 		class I 		class I 	
GEAR	n-a		n-a		n-a		n-a		n-a		n-a		n-a		n-a	
DIMMABLE	YES		YES		YES		YES		YES		YES		YES		YES	
DIMENSIONS (mm)	L159x B47 x H190		L159x B47x H190		L270x B47 x H190		L380x B47 x H190		L159x B159 x H190		L195 x B82 x H190		L320x B82 x H190		L445x B82x H190	





	VICTOR R5			VICTOR V1			VICTOR V4			VICTOR FB2			VICTOR FB3			VICTOR 3F ADAPTOR			VICTOR 3F EUTRAC			SUCTION CUP		
BRONZE	U10S55HOE			U10S51HOE			U10S50HOE			U10S82HOE			U10S83HOE			U10R1HOE			U10R2HOE					
BLACK	U10S55HZL			U10S51HZL			U10S50HZL			U10S82HZL			U10S83HZL			U10R1HZL			U10R2HZL					
WHITE	U10S55HWL			U10S51HWL			U10S50HWL			U10S82HWL			U10S83HWL			U10R1HWL			U10R2HWL					
BRUSHED BRASS										U10S82HLB			U10S83HLB			U10R1HLB			U10R2HLB					
LAMP																								
BASE	GU10			GU10			GU10			GU10			GU10			GU10			GU10					
MAX.WATT	5x 10W			10W			4x 10W			2x 10W			3x 10W			10W			10W					
VOLT	220V			220V			220V			220V			220V			220V			220V					
CLASS	class I 			class I 			class I 			class I 			class I 			class I 			class I 					
GEAR	n-a			n-a			n-a			n-a			n-a			n-a			n-a					
DIMMABLE	YES			YES			YES			YES			YES			YES			YES					
DIMENSIONS (mm)	L570x B82 x H190			L82x B82 x H190			L195 x B195 x H190			L180 x B79 x H190			L320 x B79 x H190											

NOSTA / Victor LED
Pure lighting with Victor




Pleasant lighting with Victor






The LED module has a hybride optic system for the perfect lightbeam and to avoid any dazzle while improving light performance. The reflector is protected from dust.



	VICTOR C1 Ø8CM		RING Ø7,5CM		VICTOR C1 Ø10CM		VICTOR C1B³ Ø9CM		VICTOR SB1 Ø5,5CM		VICTOR SB1 Ø10CM		VICTOR MB1V		VICTOR MB1R	
BRONZE	U10S1DOE				U10S4DOE		U10S3DOE		U10S90DOE*		U10S91DOE*		U10S71DOE		U10S71RDOE	
BLACK	U10S1DZL		UP12ZL		U10S4DZL		U10S30DZL		U10S90DZL		U10S91DZL		U10S71DZL		U10S71RDZL	
WHITE	U10S1DWL		UP12WL		U10S4DWL		U10S30DWL		U10S90DWL		U10S91DWL		U10S71DWL		U10S71RDWL	
BRUSHED BRASS	U10S1DLB				U10S4DLB		U10S30DLB		U10S90DLB*		U10S91DLB*		U10S71DLB		U10S71RDLB	
SPRING TYPE																
LED																
CCT	2700				2700		2700		2700		2700		2700		2700	
ANGLE	25° ¹				25° ¹		25° ¹		25° ¹		25° ¹		25° ¹		25° ¹	
MAX.CURRENT	maximum 350mA				maximum 350mA		maximum 350mA		maximum 350mA		maximum 350mA		maximum 350mA		maximum 350mA	
MAX.WATT	6W				6W		6W		6W		6W		6W		6W	
LUMEN	740lm				740lm		740lm		740lm		740lm		740lm		740lm	
CLASS									class I 		class I 		class I 		class I 	
GEAR	not incorporated				not incorporated		not incorporated		not incorporated		incorporated		incorporated		incorporated	
DIMMABLE	-				-		-		-		YES - TRIAC		NO ²		NO ²	
DIMENSIONS (mm)	D80 x H150		D75 x H15		D100 x H150		D90 x H150		D55 x H177		D100 x H177		L100x B100 x H190		L159x B47 x H190	
	D 40mm- 50mm				D 70mm		D 75mm- 85mm									



	VICTOR MB2		VICTOR MB3		VICTOR MB4		VICTOR MB4V		VICTOR R2		VICTOR R3		VICTOR R4		VICTOR R5	
BRONZE	U10S72DOE		U10S73DOE		U10S74DOE		U10S70DOE		U10S52DOE		U10S53DOE		U10S54DOE		U10S55DOE	
BLACK	U10S72DZL		U10S73DZL		U10S74DZL		U10S70DZL		U10S52DZL		U10S53DZL		U10S54DZL		U10S55DZL	
WHITE	U10S72DWL		U10S73DWL		U10S74DWL		U10S70DWL		U10S52DWL		U10S53DWL		U10S54DWL		U10S55DWL	
BRUSHED BRASS	U10S72DLB		U10S73DLB		U10S74DLB		U10S70DLB									
LED																
CCT	2700		2700		2700		2700		2700		2700		2700		2700	
ANGLE	25° ¹		25° ¹		25° ¹		25° ¹		25° ¹		25° ¹		25° ¹		25° ¹	
MAX.CURRENT	maximum 350mA		maximum 350mA		maximum 350mA		maximum 350mA		maximum 350mA		maximum 350mA		maximum 350mA		maximum 350mA	
MAX.WATT	2x 6W		3x 6W		4x 6W		4x 6W		2x 6W		3x 6W		4x 6W		5x 6W	
LUMEN	740lm		740lm		740lm		740lm		740lm		740lm		740lm		740lm	
CLASS	class I 		class I 		class I 		class I 		class I 		class I 		class I 		class I 	
GEAR	incorporated		incorporated		incorporated		incorporated		incorporated		incorporated		incorporated		incorporated	
DIMMABLE	NO		NO		NO		NO ²		NO		NO		NO		NO	
DIMENSIONS (mm)	L159x B47x H190		L270x B47 x H190		L380x B47 x H190		L159x B159 x H190		L195 x B82 x H190		L320x B82 x H190		L445x B82x H190		L570x B82 x H190	



	VICTOR V1		VICTOR V4		VICTOR FB2		VICTOR FB2 DIM		VICTOR FB3 DIM		VICTOR M10	
BRONZE	U10S51DOE		U10S50DOE		U10S82DOE		U10S82DOED		U10S83DOE		U10S5DOE	
BLACK	U10S51DZL		U10S50DZL		U10S82DZL		U10S82DZLD		U10S83DZL		U10S5DZL	
WHITE	U10S51DWL		U10S50DWL		U10S82DWL		U10S82DWLD		U10S83DWL		U10S5DWL	
BRUSHED BRASS					U10S82DLB		U10S82DLBD		U10S83DLB		U10S5DLB	
LED												
CCT	2700		2700		2700		2700		2700		2700	
ANGLE	25° ¹		25° ¹		25° ¹		25° ¹		25° ¹		25° ¹	
MAX.CURRENT	maximum 350mA		maximum 350mA		maximum 350mA		maximum 350mA		maximum 350mA		maximum 350mA	
MAX.WATT	6W		4x 6W		2x 6W		2x 6W		3x 6W		6W	
LUMEN	740lm		740lm		740lm		740lm		740lm		740lm	
CLASS	class I 		class I 		class I 		class I 		class I 			
GEAR	incorporated		incorporated		incorporated		incorporated		incorporated		not incorporated	
DIMMABLE	NO		NO ²		NO		YES - TRIAC		YES - TRIAC		-	
DIMENSIONS (mm)	L82x B82 x H190		L195 x B195 x H190		L180 x B79 x H190		L180 x B79 x H190		L x B79 x H190		M10 x H150	

NOSTA / Victor Ceiling
Pure lighting with Victor



Pure lighting with Victor

The Victor GU10 is designed to obtain a versatile accent lighting solution with a discrete elegant design. The GU10 is perfectly suited for LED retrofit bulbs.




	VICTOR ceiling 120		VICTOR ceiling 200		VICTOR ceiling 295		SUCTION CUP								
BRONZE	U10C1HOE		U10C2HOE		U10C3HOE										
BLACK	U10C1HZL		U10C2HZL		U10C3HZL										
WHITE	U10C1HWL		U10C2HWL		U10C3HWL										
BRUSHED BRASS	U10C1HLB		U10C2HLB		U10C3HLB										
							UP10P1								
LAMP															
BASE	GU10		GU10		GU10										
MAX.WATT	10W		10W		10W										
VOLT	220V		220V		220V										
CLASS	class I		class I		class I										
GEAR	n-a		n-a		n-a										
DIMMABLE	YES		YES		YES										
DIMENSIONS (mm)	Ø55 x H120		Ø55 x H200		Ø55x H295										

NOSTA / Victor Suspension
Pure lighting with Victor



Pure lighting with Victor

Victor suspension, with an integrated LED module, is available in the same sizes as the spot and ceiling version: 120, 200 and 295mm.



	VICTOR 120 SB1 Ø5,5CM suspension	VICTOR 200 SB1 Ø5,5CM suspension	VICTOR 295 SB1 Ø5,5CM suspension	VICTOR 120 SB1 Ø10CM suspension	VICTOR 200 SB1 Ø10CM suspension	VICTOR 295 SB1 Ø10CM suspension	VICTOR 120 C1B Ø9CM suspension	VICTOR 200 C1B Ø9CM suspension
BRONZE	U10H1DOE ²	U10H2DOE	U10H3DOE ²	U10H4DOE ²	U10H5DOE ²	U10H6DOE ²	U10H7DOE	U10H8DOE
BLACK	U10H1DZL	U10H2DZL	U10H3DZL	U10H4DZL	U10H5DZL	U10H6DZL	U10H7DZL	U10H8DZL
WHITE	U10H1DWL	U10H2DWL	U10H3DWL	U10H4DWL	U10H5DWL	U10H6DWL	U10H7DWL	U10H8DWL
BRUSHED BRASS	U10H1DLB ²	U10H2DLB ²	U10H3DLB ²	U10H4DLB ²	U10H5DLB ²	U10H6DLB ²	U10H7DLB	U10H8DLB
SPRING TYPE								
LED								
CCT	2700	2700	2700	2700	2700	2700	2700	2700
ANGLE	25 ^{° 1}	25 ^{° 1}	25 ^{° 1}	25 ^{° 1}	25 ^{° 1}	25 ^{° 1}	25 ^{° 1}	25 ^{° 1}
MAX.CURRENT	maximum 350mA	maximum 350mA	maximum 350mA	maximum 350mA	maximum 350mA	maximum 350mA	maximum 350mA	maximum 350mA
MAX.WATT	6W	6W	6W	6W	6W	6W	6W	6W
LUMEN	740lm	740lm	740lm	740lm	740lm	740lm	740lm	740lm
CLASS	class I 	class I 	class I 	class I 	class I 	class I 		
GEAR	not incorporated	not incorporated	not incorporated	incorporated	incorporated	incorporated	not incorporated	not incorporated
DIMMABLE	-	-	-	YES - TRIAC	YES - TRIAC	YES - TRIAC	-	-
DIMENSIONS (mm)	base Ø55 x H27	base Ø55 x H27	base Ø55 x H27	base Ø100 x H27	base Ø100 x H27	base Ø100 x H27	plate Ø90	plate Ø90
DIMENSIONS (mm)	h: 1647 (cable 1500)	h: 1727 (cable 1500)	h1822 (cable 1500)	h: 1647 (cable 1500)	h: 1727 (cable 1500)	h1822 (cable 1500)	h: 1620 (cable 1500)	h: 1700 (cable 1500)
							Ø75-85	Ø75-85



VICTOR 295 C1B Ø9CM suspension																
BRONZE	U10H9DOE															
BLACK	U10H9DZL															
WHITE	U10H9DWL															
BRUSHED BRASS	U10H9DLB															
SPRING TYPE																
LED																
CCT	2700															
ANGLE	25° ¹															
MAX.CURRENT	maximum 350mA															
MAX.WATT	6W															
LUMEN	740lm															
CLASS																
GEAR	not incorporated															
DIMMABLE	-															
DIMENSIONS (mm)	plate Ø90															
DIMENSIONS (mm)	h: 1795 (cable 1500)															
	Ø75-85															

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.


NOSTA / Victor Floor/Table

Pure lighting with Victor

Pure lighting with Victor

Victor as a table and floor lamp can be easily placed in professional or private environments. The touchdim system allows you to set the right lighting intensity needed.






	VICTOR TABLE		VICTOR FLOOR 110CM		VICTOR FLOOR 160CM										
WHITE	U10T1DWL		U10F1DWL		U10F2DWL										
BLACK	U10T1DZL		U10F1DZL		U10F2DZL										
LED															
CCT	2700		2700		2700										
ANGLE	25°		25°		25°										
MAX.CURRENT	maximum 350mA		maximum 350mA		maximum 350mA										
MAX.WATT	6W		6W		6W										
LUMEN	740lm		740lm		740lm										
CLASS	class I 		class I 		class I 										
GEAR	incorporated		incorporated		incorporated										
DIMMABLE	TOUCHDIM		TOUCHDIM		TOUCHDIM										
DIMENSIONS (mm)	h550 (base 120)		h1100 (base 150)		h1600 (base 150)										

NOSTA / Accessories





	PROFILE 30cm - 90cm		PROFILE 91cm - 197cm		RING Ø40		RING Ø75		DRIVER BOX for drivers up to 65W DIM		DRIVER T2		DRIVER T3		DRIVER T4	
BRONZE	U50LOExxCM		U50LOExxCM		UP11OE				UP102P2OE							
NICKEL	U50LNMxxCM		U50LNMxxCM		UP11NM		UP12NM									
WHITE	U50LWLxxCM		U50LWLxxCM		UP11WL		UP12WL		UP102P2WL		OD02DT02		OD02DT04		ID01DP02	
BLACK	U50LZLxxCM		U50LZLxxCM		UP11ZL		UP12ZL		UP102P2ZL							
MAX.CURRENT											350mA		500mA		700mA	
MAX.WATT											6,3W-13W		6,3W-13W		39W	
CLASS											class II 		class II 		class II 	
DIMMABLE											YES - TRIAC		YES - TRIAC		YES - PUSH/1-10V	
DIMENSIONS (mm)	L300/900x B60 x H40		L910/1970x B60 x H40		D40x H15		D75x H15		L180 x B79x H27,5		L95 x B53x H25		L95 x B53x H25		L103 x B67x H21	



	DRIVER T5		DRIVER T6		DRIVER T9		DRIVER T10		DRIVER T11 for UP102P2xx		DRIVER T12 for UP102P2xx		DRIVER T13		DRIVER T14	
	OD01CS02		ID01DP05		ID01DP04		I9D2ZW		MW45DIM		MW65DIM		SD02CC01		ID01DP08	
MAX.CURRENT	700mA		700mA		340mA		500mA						350mA		350mA	
MAX.WATT	9W-25W		4W-10W		18W		6W		45W		65W		6W		15W	
CLASS	class II 		class II 		class II 		class II 		class II 		class II 		class II 		class II 	
DIMMABLE	NO		YES - TRIAC		YES - PUSH & 1..10V		NO		YES - 1..10V		YES - 1..10V		NO		YES - DALI	
DIMENSIONS (mm)	L77x B40 x H27		L86x B38 x H21		L108x B52x H22		L57x B31x H21		L120 x B75x H25		L130 x B75x H25		L68 x B35x H20		L108 x B52x H22	



karveelstraat 2, 8380 zeebrugge, t +32 50 543 543, info@nosta.be, www.nosta.be