tossB

catalogue 2020-2021


tossB




content


25°	12
bang	14
big bang	18
blackjack	22
boomer	24
boomer line	26
bow	30
brace	36
brick	38
bullet	40
cone	42
conical	44
crane	46
dice	48
disk	52
dot	54
float	56
flower	60
fly	62
groove	64
hat	66
hoola	68
hoop	74
mobi	78
nero	82
nis	84
reach	86
round control	90
rozetta	96
shuffle	100
sphere	102
spin	108
thin	112
tibo	114
tribes	118
tuba	130
u-light	132
victor	134
ypso	142
accessories	144
designers	146

appliance


ceiling




25°
12




bang
14




big bang
18




bullet
40




cone
42




conical
44




dice
48




disk
52




groove
64




hoop
74




nero
82



round control
90




rozetta
96




shuffle
100




sphere
102




spin
108




tuba
130



victor
134




boomer
24




boomer line
26




bow
30




cone
42




dice
48




disk
52




float
56




hoola
68




hoop
74




mobi
78



rozetta
96




sphere
102




spin
108




thin
112




tribes
118




u-light
132




victor
134




ypso
142




25°
12




brace
36




brick
38




bullet
40




conical
44




dice
46




disk
52




fly
62




hoop
74




nis
84




round control
90




rozetta
96



sphere
102



spin
108




tibo
114


floor



blackjack
22



bow
30




dot
54



hat
66




reach
86




sphere
102


table




blackjack
22



crane
46



dot
54




sphere
102

outdoor




flower
60




tibo
114

track



nero
82



victor
134

25°

design by alain monnens

The 25° is a wall and ceiling surface mounted fixture. Its form originates from well considered 25° cuts into quadratic aluminum tubes. The position of the LED in the wall fixtures is discretely hidden so that the light is diffuse and projected on the wall in different angles. When multiple fixtures are combined an appealing and playful atmosphere is inevitable.


All versions are 360° rotating and the spot is 30° orientable. Available in white, black or brushed aluminum.




private house (diksmuide, belgium) by frederik blontrock concepts



private house by Emily & Nous




25° spot



lamp type	**AR111 retrofit**
fitting	**G53**
max. watt	**15W**
voltage	**230V**
class	**1**
gear	**incorporated**
rotation	**350°**
inclination	**2 x 30°**
length	**198 mm**
width	**150 mm**
height	**132 mm**

order code	
aluminium	**T75C1HAB**
white	**T75C1HWL**
black	**T75C1HZL**


25° wall LED



lamp type	**LED (DIM TRIAC)**
colour temp.	**2700K**
max. watt	**6W**
voltage	**230V**
lumen	**600**
class	**1**
gear	**-**
rotation	**360°**
length	**100 mm**
width	**88 mm**
height	**130 mm**

order code	
aluminium	**T75A1DAB**
white	**T75A1DWL**
black	**T75A1DZL**

25° wall big LED



lamp type	**LED (DIM TRIAC)**
colour temp.	**2700K**
max. watt	**6W**
voltage	**230V**
lumen	**600**
class	**1**
gear	**-**
rotation	**360°**
length	**150 mm**
width	**133 mm**
height	**197 mm**

order code	
aluminium	**T75A2DAB**
white	**T75A2DWL**
black	**T75A2DZL**

bang


design by alain monnens



Spot collection with an emphasis on technique and mobility. Every part has a definite function, which provides for a candid and non-intrusive design. Because of this, BANG fits in any possible environment, which makes application easy. In brushed aluminium finish, BANG creates a bold 'industrial' impression. Then again, in enamel finish, its elegant fluent lines are emphasised. BANG is available for 12V or 230V retrofit lamps.



bang 1 12V



lamp type	**retrofit LED**
fitting	**GU5.3**
max. watt	**10W**
voltage	**12V**
class	**2**
gear	**not incorporated**
rotation	**350°**
inclination	**2 x 90°**
length	**60 mm**
width	**60 mm**
height	**120 mm**

order code	
aluminium	**T23C4HAB**
white	**T23C4HWL**
black	**T23C4HZL**

bang 1 frame H15



OPTIONAL FRAME

diameter	**60 mm**
height	**15 mm**

order code	
aluminium	**T31P6AB**
white	**T31P6WL**
black	**T31P6ZL**

bang 2 12V



lamp type	**retrofit LED**
fitting	**GU5.3**
max. watt	**2 x 10W**
voltage	**12V**
class	**1**
gear	**not incorporated**
rotation	**350°**
inclination	**2 x 90°**
length	**225 mm**
width	**100 mm**
height	**123 mm**


order code H15

aluminium	**T34C2HAB**
white	**T34C2HWL**
black	**T34C2HZL**

order code H40

aluminium	**T34C3HAB**
white	**T34C3HWL**
black	**T34C3HZL**

bang 3 12V



lamp type	**retrofit LED**
fitting	**GU5.3**
max. watt	**3 x 10W**
voltage	**12V**
class	**1**
gear	**not incorporated**
rotation	**350°**
inclination	**2 x 90°**
length	**350 mm**
width	**100 mm**
height	**123 mm**


order code H15

aluminium	**T35C2HAB**
white	**T35C2HWL**
black	**T35C2HZL**

order code H40

aluminium	**T35C3HAB**
white	**T35C3HWL**
black	**T35C3HZL**

bang 4 12V



lamp type	**retrofit LED**
fitting	**GU5.3**
max. watt	**4 x 10W**
voltage	**12V**
class	**1**
gear	**not incorporated**
rotation	**350°**
inclination	**2 x 90°**
length	**475 mm**
width	**100 mm**
height	**123 mm**


order code H15

aluminium	**T36C2HAB**
white	**T36C2HWL**
black	**T36C2HZL**

order code H40

aluminium	**T36C3HAB**
white	**T36C3HWL**
black	**T36C3HZL**

bang 5 12V



lamp type	**retrofit LED**
fitting	**GU5.3**
max. watt	**5 x 10W**
voltage	**12V**
class	**1**
gear	**not incorporated**
rotation	**350°**
inclination	**2 x 90°**
length	**600 mm**
width	**100 mm**
height	**123 mm**


order code H15

aluminium	**T37C2HAB**
white	**T37C2HWL**
black	**T37C2HZL**

order code H40

aluminium	**T37C3HAB**
white	**T37C3HWL**
black	**T37C3HZL**

bang 1 frame H45



OPTIONAL FRAME

diameter	**60 mm**
height	**45 mm**


order code with transfo 50VA

aluminium	**T31P1AB**
white	**T31P1WL**
black	**T31P1ZL**

order code without transfo 50VA

aluminium	**T31P8AB**
white	**T31P8WL**
black	**T31P8ZL**

bang 4 12V square



lamp type	**retrofit LED**
fitting	**GU5.3**
max. watt	**4 x 10W**
voltage	**12V**
class	**1**
gear	**not incorporated**
rotation	**350°**
inclination	**2 x 90°**
length	**225 mm**
width	**225 mm**
height	**123 mm**


order code H15

aluminium	**T38C2HAB**
white	**T38C2HWL**
black	**T38C2HZL**

order code H40

aluminium	**T38C3HAB**
white	**T38C3HWL**
black	**T38C3HZL**

bang 1 230V



lamp type	**retrofit LED**
fitting	**GZ10**
max. watt	**10W**
voltage	**230V**
class	**1**
rotation	**350°**
inclination	**2 x 90°**
length	**60 mm**
width	**60 mm**
height	**120 mm**

order code

aluminium	**T23C3HAB**
white	**T23C3HWL**
black	**T23C3HZL**

bang 1 frame H15



OPTIONAL FRAME

diameter	**60 mm**
height	**15 mm**

order code

aluminium	**T31P6AB**
white	**T31P6WL**
black	**T31P6ZL**

bang 2 230V




lamp type	**retrofit LED**
fitting	**GZ10**
max. watt	**2 x 10W**
voltage	**230V**
class	**1**
rotation	**350°**
inclination	**2 x 90°**
length	**225 mm**
width	**100 mm**
height	**123 mm**

order code H15

aluminium	**T34C1HAB**
white	**T34C1HWL**
black	**T34C1HZL**

bang 3 230V




lamp type	**retrofit LED**
fitting	**GZ10**
max. watt	**3 x 10W**
voltage	**230V**
class	**1**
rotation	**350°**
inclination	**2 x 90°**
length	**350 mm**
width	**100 mm**
height	**123 mm**

order code H15

aluminium	**T35C1HAB**
white	**T35C1HWL**
black	**T35C1HZL**

bang 4 230V




lamp type	**retrofit LED**
fitting	**GZ10**
max. watt	**4 x 10W**
voltage	**230V**
class	**1**
rotation	**350°**
inclination	**2 x 90°**
length	**475 mm**
width	**100 mm**
height	**123 mm**

order code H15

aluminium	**T36C1HAB**
white	**T36C1HWL**
black	**T36C1HZL**

bang 5 230V




lamp type	**retrofit LED**
fitting	**GZ10**
max. watt	**5 x 10W**
voltage	**230V**
class	**1**
rotation	**350°**
inclination	**2 x 90°**
length	**600 mm**
width	**100 mm**
height	**123 mm**

order code H15

aluminium	**T37C1HAB**
white	**T37C1HWL**
black	**T37C1HZL**

bang 4 230V square



lamp type	**retrofit LED**
fitting	**GZ10**
max. watt	**4 x 10W**
voltage	**230V**
class	**1**
rotation	**350°**
inclination	**2 x 90°**
length	**225 mm**
width	**225 mm**
height	**123 mm**

order code H15

aluminium	**T38C1HAB**
white	**T38C1HWL**
black	**T38C1HZL**



big bang

design by alain monnens

Spot collection with an emphasis on technique and mobility. Every part has a definite function, which provides for a candid and non-intrusive design. Because of this, BANG fits in any possible environment, which makes application easy. In brushed aluminium finish, BANG creates a bold ‘industrial’ impression. Then again, in enamel finish, its elegant fluent lines are emphasised. BIG BANG is available for AR111 or ES111 retrofit lamps.





private house (brugge, belgium) by kristof steen, photo by philip braem

big bang 1 AR111



lamp type	**AR111 retrofit**
fitting	**G53**
max. watt	**15W**
voltage	**12V**
class	**2**
gear	**not incorporated**
rotation	**350°**
inclination	**2 x 90°**
length	**120 mm**
width	**120 mm**
height	**150 mm**

order code

aluminium	**T23C1HAB**
white	**T23C1HWL**
black	**T23C1HZL**

big bang 1 frame H15



OPTIONAL FRAME

diameter	**120 mm**
height	**15 mm**

order code

aluminium	**T31P7AB**
white	**T31P7WL**
black	**T31P7ZL**

big bang 1 frame H45



OPTIONAL FRAME

diameter	**120 mm**
height	**45 mm**


order code incl. transfo 50VA

aluminium	**T31P2AB**
white	**T31P2WL**
black	**T31P2ZL**

order code excl. transfo 50VA

aluminium	**T31P9AB**
white	**T31P9WL**
black	**T31P9ZL**

big bang 2 AR111



lamp type	**AR111 retrofit**
fitting	**G53**
max. watt	**2 x 15W**
voltage	**12V**
class	**1**
gear	**not incorporated**
rotation	**350°**
inclination	**2 x 90°**
length	**350 mm**
width	**160 mm**
height	**153 mm**


order code H15

aluminium	**T39C2HAB**
white	**T39C2HWL**
black	**T39C2HZL**

order code H40

aluminium	**T39C3HAB**
white	**T39C3HWL**
black	**T39C3HZL**

big bang 3 AR111



lamp type	**AR111 retrofit**
fitting	**G53**
max. watt	**3 x 15W**
voltage	**12V**
class	**1**
gear	**not incorporated**
rotation	**350°**
inclination	**2 x 90°**
length	**540 mm**
width	**160 mm**
height	**153 mm**


order code H15

aluminium	**T40C2HAB**
white	**T40C2HWL**
black	**T40C2HZL**

order code H40

aluminium	**T40C3HAB**
white	**T40C3HWL**
black	**T40C3HZL**

big bang 4 AR111



lamp type	**AR111 retrofit**
fitting	**G53**
max. watt	**4 x 15W**
voltage	**12V**
class	**1**
gear	**not incorporated**
rotation	**350°**
inclination	**2 x 90°**
length	**730 mm**
width	**160 mm**
height	**153 mm**


order code H15

aluminium	**T41C2HAB**
white	**T41C2HWL**
black	**T41C2HZL**

order code H40

aluminium	**T41C3HAB**
white	**T41C3HWL**
black	**T41C3HZL**

big bang 5 AR111



lamp type	**AR111 retrofit**
fitting	**G53**
max. watt	**5 x 15W**
voltage	**12V**
class	**1**
gear	**not incorporated**
rotation	**350°**
inclination	**2 x 90°**
length	**920 mm**
width	**160 mm**
height	**153 mm**

order code H15

aluminium	**T42C2HAB**
white	**T42C2HWL**
black	**T42C2HZL**


order code H40

aluminium	**T42C3HAB**
white	**T42C3HWL**
black	**T42C3HZL**



superdry store (antwerpen, belgium) by dm interieur, photo by philip braem

big bang 4 AR111 square



lamp type	**AR111 retrofit**
fitting	**G53**
max. watt	**4 x 15W**
voltage	**12V**
class	**1**
gear	**not incorporated**
rotation	**350°**
inclination	**2 x 90°**
length	**350 mm**
width	**350 mm**
height	**153 mm**


order code H15

aluminium	**T43C2HAB**
white	**T43C2HWL**
black	**T43C2HZL**

order code H40

aluminium	**T43C3HAB**
white	**T43C3HWL**
black	**T43C3HZL**

big bang 1 ES111



lamp type	**ES111 retrofit***
fitting	**GZ10**
max. watt	**15W**
voltage	**230V**
class	**2**
rotation	**350°**
inclination	**2 x 90°**
length	**120 mm**
width	**120 mm**
height	**150 mm**

order code

aluminium	**T23C2HAB**
white	**T23C2HWL**
black	**T23C2HZL**

* retrofit ecolumia

big bang 1 frame H15



OPTIONAL FRAME

diameter	**120 mm**
height	**15 mm**


order code

aluminium	**T31P7AB**
white	**T31P7WL**
black	**T31P7ZL**



superdry store (antwerpen, belgium) by dm interieur, photo by philip braem

big bang 4 ES111 square



lamp type	**ES111 retrofit***
fitting	**GZ10**
max. watt	**4 x 15W**
voltage	**230V**
class	**1**
rotation	**350°**
inclination	**2 x 90°**
length	**350 mm**
width	**350 mm**
height	**153 mm**

order code

aluminium	**T43C1HAB**
white	**T43C1HWL**
black	**T43C1HZL**

* retrofit ecolumia

big bang 2 ES111




lamp type	**ES111 retrofit***
fitting	**GZ10**
max. watt	**2 x 15W**
voltage	**230V**
class	**1**
rotation	**350°**
inclination	**2 x 90°**
length	**350 mm**
width	**160 mm**
height	**153 mm**

order code

aluminium	**T39C1HAB**
white	**T39C1HWL**
black	**T39C1HZL**

* retrofit ecolumia

big bang 3 ES111




lamp type	**ES111 retrofit***
fitting	**GZ10**
max. watt	**3 x 15W**
voltage	**230V**
class	**1**
rotation	**350°**
inclination	**2 x 90°**
length	**540 mm**
width	**160 mm**
height	**153 mm**

order code

aluminium	**T40C1HAB**
white	**T40C1HWL**
black	**T40C1HZL**

* retrofit ecolumia

big bang 4 ES111




lamp type	**ES111 retrofit***
fitting	**GZ10**
max. watt	**4 x 15W**
voltage	**230V**
class	**1**
rotation	**350°**
inclination	**2 x 90°**
length	**730 mm**
width	**160 mm**
height	**153 mm**

order code

aluminium	**T41C1HAB**
white	**T41C1HWL**
black	**T41C1HZL**

* retrofit ecolumia

big bang 5 ES111



lamp type	**ES111 retrofit***
fitting	**GZ10**
max. watt	**5 x 15W**
voltage	**230V**
class	**1**
rotation	**350°**
inclination	**2 x 90°**
length	**920 mm**
width	**160 mm**
height	**153 mm**

order code

aluminium	**T42C1HAB**
white	**T42C1HWL**
black	**T42C1HZL**

* retrofit ecolumia

blackjack

design by glenn marys




BLACKJACK is an elegant and minimalist table or floor lamp designed under the motto “form follows function”. The lamp is available in different heights and rotates 180° on the foot. The two plate -whose shape is reminiscent of playing cards- tilt separately so that the diffused light can be projected in the desired direction.


BLACKJACK is available in black and white with G9 retrofit and cord dimmer.



private house (bruges, belgium), photo by tossB



blackjack table




lamp type	**retrofit LED**
fitting	**G9**
max. watt	**5W**
voltage	**230V**
class	**1**
rotation	**350°**
length	**230 mm**
width	**130 mm**
height	**500 mm**

order code

white	**T81T1HWL**
black	**T81T1HZL**

blackjack floor



lamp type	**retrofit LED**
fitting	**G9**
max. watt	**5W**
voltage	**230V**
class	**1**
rotation	**350°**
length	**230 mm**
width	**130 mm**
height	**1200 mm**

order code

white	**T81F1HWL**
black	**T81F1HZL**


boomer

design by jos muller




office (australia) by K2LD architecture and interiors, photo by Jeremy Wright

BOOMER's minimalistic shape looks like a frozen movement. Its waved shape creates an elegant contrast with the architectural lines of interiors and objects. It can be hung horizontally in balance or at an angle out of balance. A group of lamps enhances the characteristic curves. BOOMER can be placed directly above a dining table, home or office workspace. The highly efficient led-light smoothly curves along with the lamp shape.



boomer




lamp type	**LED**
colour temp.	**2400K / 2700K / 3000K**
max. watt	**28W**
voltage	**230V**
lumen	**1680**
class	**1**
gear	**incorporated**
length	**1450 mm**
width	**25 mm**
height	**120 (max. 2500) mm**

order code 2400K	
white	**T86H2DWL**
black	**T86H2DZL**

order code 2700K	
white	**T86H5DWL**
black	**T86H5DZL**

order code 3000K	
white	**T86H1DWL**
black	**T86H1DZL**

boomer dimmable




lamp type	**LED**
colour temp.	**2400K / 2700K / 3000K**
max. watt	**28W**
voltage	**230V**
lumen	**1680**
class	**1**
gear	**incorporated (DIM 0-10V)**
length	**1450 mm**
width	**25 mm**
height	**120 (max. 2500) mm**

order code 2400K	
white	**T86H2DWLD**
black	**T86H2DZLD**

order code 2700K	
white	**T86H5DWLD**
black	**T86H5DZLD**

order code 3000K	
white	**T86H1DWLD**
black	**T86H1DZLD**

boomer without base & driver



lamp type	**LED**
colour temp.	**2400K / 2700K / 3000K**
max. watt	**28W**
voltage	**24V**
lumen	**1680**
class	**2**
gear	**incorporated**
length	**1450 mm**
width	**25 mm**
height	**120 (max. 2500) mm**


order code 2400K	
white	**T86H4DWL**
black	**T86H4DZL**

order code 2700K	
white	**T86H6DWL**
black	**T86H6DZL**


order code 3000K	
white	**T86H3DWL**
black	**T86H3DZL**

boomer line

design by jos muller



boomer line 1200



lamp type	**LED**
colour temp.	**2700K/3000K**
max. watt	**24W**
voltage	**230V**
lumen	**1400**
class	**1**
gear	**incorporated**
length	**1200 mm**
width	**25 mm**
height	**25 (max 2500) mm**


order code 2700K

white	**T86H7DWL**
black	**T86H7DZL**

order code 3000K

white	**T86H8DWL**
black	**T86H8DZL**

boomer line 1200 dim



lamp type	**LED**
colour temp.	**2700K/3000K**
max. watt	**24W**
voltage	**230V**
lumen	**1400**
class	**1**
gear	**incorporated (DIM 0-10V)**
length	**1200 mm**
width	**25 mm**
height	**25 (max 2500) mm**


order code 2700K

white	**T86H7DWLD**
black	**T86H7DZLD**

order code 3000K

white	**T86H8DWLD**
black	**T86H8DZLD**

boomer line 1200 without base & driver




lamp type	**LED**
colour temp.	**2700K/3000K**
max. watt	**24W**
voltage	**230V**
lumen	**1400**
class	**2**
gear	**not incorporated**
length	**1200 mm**
width	**25 mm**
height	**25 (max 2500) mm**

order code 2700K


white	**T86H15DWL**
black	**T86H15DZL**

order code 3000K

white	**T86H24DWL**
black	**T86H24DZL**



boomer line UP 1200



lamp type	**LED**
colour temp.	**2700K/3000K**
max. watt	**24W**
voltage	**230V**
lumen	**1400**
class	**1**
gear	**incorporated**
length	**1200 mm**
width	**25 mm**
height	**25 (max 2500) mm**


order code 2700K

white	**T86H16DWL**
black	**T86H16DZL**

order code 3000K

white	**T86H17DWL**
black	**T86H17DZL**

boomer line UP 1200 dim



lamp type	**LED**
colour temp.	**2700K/3000K**
max. watt	**24W**
voltage	**230V**
lumen	**1400**
class	**1**
gear	**incorporated (DIM 0-10V)**
length	**1200 mm**
width	**25 mm**
height	**25 (max 2500) mm**


order code 2700K

white	**T86H16DWLD**
black	**T86H16DZLD**

order code 3000K

white	**T86H17DWLD**
black	**T86H17DZLD**

boomer line UP 1200 without base & driver



lamp type	**LED**
colour temp.	**2700K/3000K**
max. watt	**24W**
voltage	**24V**
lumen	**1400**
class	**2**
gear	**not incorporated**
length	**1200 mm**
width	**25 mm**
height	**25 (max 2500) mm**

order code 2700K

white	**T86H22DWL**
black	**T86H22DZL**


order code 3000K

white	**T86H31DWL**
black	**T86H31DZL**



project boomer line (by moon lighting)

boomer line 1800



lamp type	**LED**
colour temp.	**2700K/3000K**
max. watt	**36W**
voltage	**230V**
lumen	**1920**
class	**1**
gear	**incorporated**
length	**1800 mm**
width	**25 mm**
height	**25 (max 2500) mm**


order code 2700K

white	**T86H9DWL**
black	**T86H9DZL**

order code 3000K

white	**T86H10DWL**
black	**T86H10DZL**

boomer line 1800 dim



lamp type	**LED**
colour temp.	**2700K/3000K**
max. watt	**36W**
voltage	**230V**
lumen	**1920**
class	**1**
gear	**incorporated (DIM 0-10V)**
length	**1800 mm**
width	**25 mm**
height	**25 (max 2500) mm**


order code 2700K

white	**T86H9DWLD**
black	**T86H9DZLD**

order code 3000K

white	**T86H10DWLD**
black	**T86H10DZLD**

boomer line UP 1800



lamp type	**LED**
colour temp.	**2700K/3000K**
max. watt	**36W**
voltage	**230V**
lumen	**1920**
class	**1**
gear	**incorporated**
length	**1800 mm**
width	**25 mm**
height	**25 (max 2500) mm**


order code 2700K

white	**T86H18DWL**
black	**T86H18DZL**

order code 3000K

white	**T86H19DWL**
black	**T86H19DZL**

boomer line UP 1800 dim



lamp type	**LED**
colour temp.	**2700K/3000K**
max. watt	**36W**
voltage	**230V**
lumen	**1920**
class	**1**
gear	**incorporated (DIM 0-10V)**
length	**1800 mm**
width	**25 mm**
height	**25 (max 2500) mm**


order code 2700K

white	**T86H18DWLD**
black	**T86H18DZLD**

order code 3000K

white	**T86H19DWLD**
black	**T86H19DZLD**

boomer line 1800 without base & driver



lamp type	**LED**
colour temp.	**2700K/3000K**
max. watt	**36W**
voltage	**24V**
lumen	**1920**
class	**2**
gear	**not incorporated**
length	**1800 mm**
width	**25 mm**
height	**25 (max 2500) mm**


order code 2700K

white	**T86H14DWL**
black	**T86H14DZL**

order code 3000K

white	**T86H25DWL**
black	**T86H25DZL**

boomer line UP 1800 without base & driver



lamp type	**LED**
colour temp.	**2700K/3000K**
max. watt	**36W**
voltage	**24V**
lumen	**1920**
class	**2**
gear	**not incorporated**
length	**1800 mm**
width	**25 mm**
height	**25 (max 2500) mm**


order code 2700K

white	**T86H23DWL**
black	**T86H23DZL**

order code 3000K

white	**T86H32DWL**
black	**T86H32DZL**

boomer line 2400



lamp type	**LED**
colour temp.	**2700K/3000K**
max. watt	**48W**
voltage	**230V**
lumen	**2680**
class	**1**
gear	**incorporated**
length	**2400 mm**
width	**25 mm**
height	**25 (max 2500) mm**


order code 2700K

white	**T86H11DWL**
black	**T86H11DZL**

order code 3000K

white	**T86H12DWL**
black	**T86H12DZL**

boomer line 2400 dim



lamp type	**LED**
colour temp.	**2700K/3000K**
max. watt	**48W**
voltage	**230V**
lumen	**2680**
class	**1**
gear	**incorporated (DIM 0-10V)**
length	**2400 mm**
width	**25 mm**
height	**25 (max 2500) mm**


order code 2700K

white	**T86H11DWLD**
black	**T86H11DZLD**

order code 3000K

white	**T86H12DWLD**
black	**T86H12DZLD**

boomer line UP 2400



lamp type	**LED**
colour temp.	**2700K/3000K**
max. watt	**48W**
voltage	**230V**
lumen	**2680**
class	**1**
gear	**incorporated**
length	**2400 mm**
width	**25 mm**
height	**25 (max 2500) mm**


order code 2700K

white	**T86H20DWL**
black	**T86H20DZL**

order code 3000K

white	**T86H21DWL**
black	**T86H21DZL**

boomer line UP 2400 dim



lamp type	**LED**
colour temp.	**2700K/3000K**
max. watt	**48W**
voltage	**230V**
lumen	**2680**
class	**1**
gear	**incorporated (DIM 0-10V)**
length	**2400 mm**
width	**25 mm**
height	**25 (max 2500) mm**


order code 2700K

white	**T86H20DWLD**
black	**T86H20DZLD**

order code 3000K

white	**T86H21DWLD**
black	**T86H21DZLD**

boomer line 2400 without base & driver



lamp type	**LED**
colour temp.	**2700K/3000K**
max. watt	**48W**
voltage	**24V**
lumen	**2680**
class	**2**
gear	**not incorporated**
length	**2400 mm**
width	**25 mm**
height	**25 (max 2500) mm**


order code 2700K

white	**T86H28DWL**
black	**T86H28DZL**

order code 3000K

white	**T86H27DWL**
black	**T86H27DZL**

boomer line UP 2400 without base & driver



lamp type	**LED**
colour temp.	**2700K/3000K**
max. watt	**48W**
voltage	**24V**
lumen	**2680**
class	**2**
gear	**not incorporated**
length	**2400 mm**
width	**25 mm**
height	**25 (max 2500) mm**

order code 2700K

white	**T86H26DWL**
black	**T86H26DZL**

order code 3000K

white	**T86H33DWL**
black	**T86H33DZL**

bow

design by david dolcini




Since Roman times, the ‘arch’ is one of the basics in architecture. It’s part of our daily life (even if we don’t notice it), and it expresses at the same time deepness, strength and equilibrium. BOW tries to translate the essence of the arch into a minimalistic luminaire.

Gravity and balance, combined with the arch, are the other ingredients involved in the design of this product.

It is a small family composed by a floor/suspension lamp, and 7 different chandeliers (2, 4 or 6 bulbs).

bow floor




lamp type	**retrofit LED**
fitting	**E27**
max. watt	**15W**
voltage	**230V**
class	**1**
diameter	**1300 mm**
height	**800 (max 2500) mm**
cup	**160 x 80 mm**

order code

black	**T97F1IZL**

bow floor mini




lamp type	**retrofit LED**
fitting	**E27**
max. watt	**15W**
voltage	**230V**
class	**1**
diameter	**1300 mm**
height	**800 (max 2500) mm**
cup	**120 x 60 mm**

order code

black	**T97F3IZL**

bow XL floor




lamp type	**retrofit LED**
fitting	**E27**
max. watt	**15W**
voltage	**230V**
class	**1**
diameter	**1700 mm**
height	**800 (max 2500) mm**
cup	**160 x 80 mm**

order code

black	**T97F2IZL**

bow XL floor mini



lamp type	**retrofit LED**
fitting	**E27**
max. watt	**15W**
voltage	**230V**
class	**1**
diameter	**1700 mm**
height	**800 (max 2500) mm**
cup	**120 x 60 mm**

order code

black	**T97F4IZL**



private house (damme, belgium) photo by beeldcollectief.be




fair Interieur Kortrijk 2018



private house by Lightlab Brugge

bow I S



lamp type	**retrofit LED**
fitting	**E27**
max. watt	**2 x 15W**
voltage	**230V**
class	**1**
diameter	**480 mm**
height	**360 (max 2500) mm**
cup	**160 x 80 mm**

order code	
black	**T97H1IZL**

bow I S mini




lamp type	**retrofit LED**
fitting	**E27**
max. watt	**2 x 15W**
voltage	**230V**
class	**1**
diameter	**480 mm**
height	**360 (max 2500) mm**
cup	**120 x 60 mm**

order code	
black	**T97H8IZL**




bow I M



lamp type	**retrofit LED**
fitting	**E27**
max. watt	**2 x 15W**
voltage	**230V**
class	**1**
diameter	**680 mm**
height	**460 (max 2500) mm**
cup	**160 x 80 mm**

order code	
black	**T97H2IZL**


bow I M mini



lamp type	**retrofit LED**
fitting	**E27**
max. watt	**2 x 15W**
voltage	**230V**
class	**1**
diameter	**680 mm**
height	**460 (max 2500) mm**
cup	**120 x 60 mm**

order code	
black	**T97H9IZL**


bow I L



lamp type	**retrofit LED**
fitting	**E27**
max. watt	**2 x 15W**
voltage	**230V**
class	**1**
diameter	**880 mm**
height	**560 (max 2500) mm**
cup	**160 x 80 mm**

order code	
black	**T97H3IZL**


bow I L mini



lamp type	**retrofit LED**
fitting	**E27**
max. watt	**2 x 15W**
voltage	**230V**
class	**1**
diameter	**880 mm**
height	**560 (max 2500) mm**
cup	**120 x 60 mm**

order code	
black	**T97H10IZL**


bow II S+M



lamp type	**retrofit LED**
fitting	**E27**
max. watt	**4 x 15W**
voltage	**230V**
class	**1**
diameter	**680 mm**
width	**480 mm**
height	**460 (max 2500) mm**
cup	**160 x 80 mm**


order code	
black	**T97H4IZL**

bow II S+M mini




lamp type	**retrofit LED**
fitting	**E27**
max. watt	**4 x 15W**
voltage	**230V**
class	**1**
diameter	**680 mm**
width	**480 mm**
height	**460 (max 2500) mm**
cup	**120 x 60 mm**

order code	
black	**T97H11IZL**




bow II M+L



lamp type	**retrofit LED**
fitting	**E27**
max. watt	**4 x 15W**
voltage	**230V**
class	**1**
diameter	**880 mm**
width	**680 mm**
height	**560 (max 2500) mm**
cup	**160 x 80 mm**

order code	
black	**T97H6IZL**


bow II M+L mini



lamp type	**retrofit LED**
fitting	**E27**
max. watt	**4 x 15W**
voltage	**230V**
class	**1**
diameter	**880 mm**
width	**680 mm**
height	**560 (max 2500) mm**
cup	**120 x 60 mm**

order code	
black	**T97H13IZL**


bow II L+S



lamp type	**retrofit LED**
fitting	**E27**
max. watt	**4 x 15W**
voltage	**230V**
class	**1**
diameter	**880 mm**
width	**480 mm**
height	**560 (max 2500) mm**
cup	**160 x 80 mm**

order code	
black	**T97H5IZL**

bow II L+S mini



lamp type	**retrofit LED**
fitting	**E27**
max. watt	**4 x 15W**
voltage	**230V**
class	**1**
diameter	**880 mm**
width	**480 mm**
height	**560 (max 2500) mm**
cup	**120 x 60 mm**

order code	
black	**T97H12IZL**

bow III S+M+L




lamp type	**retrofit LED**
fitting	**E27**
max. watt	**6 x 15W**
voltage	**230V**
class	**1**
diameter	**880 mm**
width	**680 mm**
height	**560 (max 2500) mm**
cup	**160 x 80 mm**

order code

black	**T97H7IZL**

bow III S+M+L mini



lamp type	**retrofit LED**
fitting	**E27**
max. watt	**6 x 15W**
voltage	**230V**
class	**1**
diameter	**880 mm**
width	**680 mm**
height	**560 (max 2500) mm**
cup	**120 x 60 mm**

order code

black	**T97H14IZL**



private house by Laterna Magica (Estonia)


brace

design by alain monnens


brace wall by LA Licht



The BRACE has a neat, minimalist design, with a thick, folded aluminium plate. The BRACE looks equally good at home, in the office or in any other “professional” setting.




brace wall H



lamp type	**retrofit LED**
fitting	**R7s (114)**
max. watt	**10W**
voltage	**230V**
class	**1**
gear	**-**
length	**200 mm**
width	**90 mm**
height	**75 mm**

order code	
aluminium	**T63A1HAB**
white	**T63A1HWL**
black	**T63A1HZL**


brace wall LED



lamp type	**LED**
colour temp.	**2700K**
max. watt	**8W + 4W**
voltage	**230V**
lumen	**800 + 400**
class	**1**
gear	**incorporated**
length	**200 mm**
width	**90 mm**
height	**75 mm**

order code	
aluminium	**T63A1DAB**
white	**T63A1DWL**
black	**T63A1DZL**

brace wall LED dim



lamp type	**LED**
colour temp.	**2700K**
max. watt	**8W + 4W**
voltage	**230V**
lumen	**800 + 400**
class	**1**
gear	**incorporated (TRIAC)**
length	**200 mm**
width	**90 mm**
height	**75 mm**

order code	
aluminium	**T63A1DABD**
white	**T63A1DWLD**
black	**T63A1DZLD**

brick


design by alain monnens



BRICK is a simple and elegant lighting fixture with an attractive “up and/or down” light. (BRICK H is only 1 light).

BRICK’s minimalist design allows it to be barely visible - in white it even seems to blend in with the wall.


brick



lamp type	**retrofit LED**
fitting	**G9**
max. watt	**2 x 5W**
voltage	**230V**
class	**1**
gear	**-**
length	**90 mm**
width	**50 mm**
height	**200 mm**

order code	
aluminium	**T33A1HAB**
chrome	**T33A1HAP**
white	**T33A1HWL**
black	**T33A1HZL**


brick LED



lamp type	**LED**
colour temp.	**2700K**
max. watt	**6W + 6W**
voltage	**230V**
lumen	**600 + 600**
class	**1**
gear	**incorporated (TRIAC)**
length	**90 mm**
width	**50 mm**
height	**200 mm**

order code	
aluminium	**T33A1DAB**
chrome	**T33A1DAP**
white	**T33A1DWL**
black	**T33A1DZL**

brick H



lamp type	**retrofit LED**
fitting	**G9**
max. watt	**5W**
voltage	**230V**
class	**1**
gear	**-**
length	**90 mm**
width	**50 mm**
height	**100 mm**

order code	
aluminium	**T33A2HAB**
chrome	**T33A2HAP**
white	**T33A2HWL**
black	**T33A2HZL**



private house (belgium) by lightpoint europe, photo by vicky ohnemus

bullet


design by alain monnens



private house (roeselare, belgium) by alain monnens, photo by beeldcollectief.be



bullet



BULLET is a retrospective ceiling lamp and the perfect alternative for the incandescent light bulb. The shape of the spherical glass provides the same pleasant and warm light experience only an incandescent light bulb could give.

The BULLET owes its fluent design to the equal diameter of both the base and the glass. This ceiling lamp is also applicable as a wall lamp and is available in various colors with opal glass.

lamp type	**retrofit LED**
fitting	**G9**
max. watt	**5W**
voltage	**230V**
class	**1**
diameter	**120 mm**
height	**200 mm**

order code

white	**T82C1HWL**
black	**T82C1HZL**

cone

design by alain monnens



ghelamco arena meeting district (gent, belgium)




private house (slijpe, belgium) by frederik blontrock concepts

The inspiration for the CONE comes from the conical-shaped distribution of light which seems to shine directly from the ceiling. The armature is also a physical representation of this cone-like beam.

The CONE is available as ceiling or suspension lamp. The aluminium shade can be made in all available RAL colours, with the possibility to have different colours on the inside and outside of the shade cap.

cone S ceiling




lamp type	**retrofit LED**
fitting	**E27**
max. watt	**3 x 15W**
voltage	**230V**
class	**1**
diameter	**600 mm**
height	**400 mm**

order code

white	**T48C4IWL**

cone M ceiling




lamp type	**retrofit LED**
fitting	**E27**
max. watt	**3 x 15W**
voltage	**230V**
class	**1**
diameter	**800 mm**
height	**580 mm**

order code

white	**T48C3IWL**



cone L ceiling




lamp type	**retrofit LED**
fitting	**E27**
max. watt	**3 x 15W**
voltage	**230V**
class	**1**
diameter	**1000 mm**
height	**750 mm**

order code

white	**T48C2IWL**

cone S suspension




lamp type	**retrofit LED**
fitting	**E27**
max. watt	**3 x 15W**
voltage	**230V**
class	**1**
diameter	**600 mm**
height	**400 (3000) mm**

order code

white	**T48H4IWL**

cone M suspension




lamp type	**retrofit LED**
fitting	**E27**
max. watt	**3 x 15W**
voltage	**230V**
class	**1**
diameter	**800 mm**
height	**580 (3000) mm**

order code

white	**T48H3IWL**

cone L suspension



lamp type	**retrofit LED**
fitting	**E27**
max. watt	**3 x 15W**
voltage	**230V**
class	**1**
diameter	**1000 mm**
height	**750 (3000) mm**

order code

white	**T48H2IWL**

conical

design by alain monnens






private house (belgium) by elektriciteit ryckeboer

Only the name CONICAL already reveals so much about this ceiling lamp. The LED elements are discretely hidden in such a way that the light is being reflected by the conical-shaped diffuser which results in an effective but pleasant light distribution. CONICAL is available in three different sizes and is dimmable.

conical 50 dim




lamp type	**LED**
colour temp.	**2700K**
max. watt	**5 x 4W**
voltage	**230V**
lumen	**1470**
class	**1**
gear	**incorporated (TRIAC)**
diameter	**500 mm**
height	**55 mm**

order code DIM TRIAC

white	**T87C1DWLDT**

conical 70 dim




lamp type	**LED**
colour temp.	**2700K**
max. watt	**7 x 4W**
voltage	**230V**
lumen	**1970**
class	**1**
gear	**incorporated (TRIAC)**
diameter	**700 mm**
height	**76 mm**

order code DIM TRIAC

white	**T87C2DWLDT**


conical 90 dim



lamp type	**LED**
colour temp.	**2700K**
max. watt	**9 x 4W**
voltage	**230V**
lumen	**2737**
class	**1**
gear	**incorporated (TRIAC)**
diameter	**900 mm**
height	**98 mm**

order code DIM TRIAC


white	**T87C3DWLD**



crane

design by alain monnens

The CRANE is a desk luminaire, striking a balance between functionality and style. The design originates from exploring the most interesting and useful form out of 1 single folded plate, just like an origami crane bird. The foot has been folded into a straight angle so that the loss of work space is minimized. Therefore the CRANE is excellent to place on the corner of your desk.








loft (roeselare, belgium) by alain monnens, photo by philip braem

crane



lamp type	**LED**
colour temp.	**3000K**
max. watt	**8W**
voltage	**230V**
lumen	**1120**
class	**1**
gear	**incorporated**
length	**610 mm**
width	**405 mm**
height	**520 mm**

order code

white	**T76T1DWL**
black	**T76T1DZL**

dice

design by bart van houcke


A playful collection consisting of glass opal white spheres and an aluminium housing. Because of the different lengths of the housing, you can play with the numbers of spheres. It gives you a freedom of making a nice composition for each room. Available in white and black. The DICE can be used as a ceiling, wall or hanging fixture.

Be creative and just roll the dice to take a chance.



private house by studio achoo


dice surface S-1



lamp type	**LED (DIM TRIAC)**
colour temp.	**2700K**
max. watt	**8W**
voltage	**230V**
lumen	**600**
class	**1**
length	**230 mm**
width	**120 mm**
height	**130 mm**

order code	
white	**T105C1DWL**
black	**T105C1DZL**


dice surface S-2



lamp type	**LED (DIM TRIAC)**
colour temp.	**2700K**
max. watt	**2x8W**
voltage	**230V**
lumen	**2 x 600**
class	**1**
length	**230 mm**
width	**120 mm**
height	**130 mm**

order code	
white	**T105C2DWL**
black	**T105C2DZL**


dice surface M-2



lamp type	**LED (DIM TRIAC)**
colour temp.	**2700K**
max. watt	**2x8W**
voltage	**230V**
lumen	**2 x 600**
class	**1**
length	**340 mm**
width	**120 mm**
height	**130 mm**

order code	
white	**T105C3DWL**
black	**T105C3DZL**

dice surface M-3



lamp type	**LED (DIM TRIAC)**
colour temp.	**2700K**
max. watt	**3x8W**
voltage	**230V**
lumen	**3 x 600**
class	**1**
length	**340 mm**
width	**120 mm**
height	**130 mm**

order code	
white	**T105C4DWL**
black	**T105C4DZL**




private house by studio achoo



private house by studio achoo

dice suspension S-1




lamp type	**LED (DIM TRIAC)**
colour temp.	**2700K**
max. watt	**8W**
voltage	**230V**
lumen	**600**
class	**1**
length	**230 mm**
width	**120 mm**
height	**130 (max 2500) mm**

order code

white	**T105H1DWL**
black	**T105H1DZL**

dice suspension S-2




lamp type	**LED (DIM TRIAC)**
colour temp.	**2700K**
max. watt	**2x8W**
voltage	**230V**
lumen	**2 x 600**
class	**1**
length	**230 mm**
width	**120 mm**
height	**130 (max 2500) mm**

order code

white	**T105H2DWL**
black	**T105H2DZL**

dice suspension M-2




lamp type	**LED (DIM TRIAC)**
colour temp.	**2700K**
max. watt	**2x8W**
voltage	**230V**
lumen	**2 x 600**
class	**1**
length	**340 mm**
width	**120 mm**
height	**130 (max 2500) mm**

order code

white	**T105H3DWL**
black	**T105H3DZL**

dice suspension M-3



lamp type	**LED (DIM TRIAC)**
colour temp.	**2700K**
max. watt	**3x8W**
voltage	**230V**
lumen	**3 x 600**
class	**1**
length	**340 mm**
width	**120 mm**
height	**130 (max 2500) mm**

order code

white	**T105H4DWL**
black	**T105H4DZL**



disk

design by jean-françois d'or




the student hotel (amsterdam, the netherlands) by ...staat creative agency, photo by kasia gatkowska



A large saucer of golden light, gently diffusing throughout your room, like the shimmering sound of a gong. As a hanging lamp above a table, the DISK creates a warm and intimate atmosphere, almost as if you were sitting in a secluded alcove. By adjusting the height of the DISK above the floor, you can vary the overall strength of the lighting. Brilliant rays of bright light will flood over all your interior surfaces. The DISK can also be used as a wall or ceiling lamp.



disk suspension



lamp type	**A60**
fitting	**E27**
max. watt	**15W**
voltage	**230V**
class	**1**
diameter	**600 mm**
height	**105 (max 2500) mm**

order code

white	**T66H1IWLWL**

disk mini suspension




lamp type	**A60**
fitting	**E27**
max. watt	**15W**
voltage	**230V**
class	**1**
diameter	**350 mm**
height	**105 (max 2500) mm**

order code

white	**T66H2IWLWL**

disk wall/ceiling




lamp type	**A60**
fitting	**E27**
max. watt	**15W**
voltage	**230V**
class	**1**
diameter	**600 mm**
height	**135 mm**

order code

white	**T66A1IWLWL**

disk mini wall/ceiling




lamp type	**A60**
fitting	**E27**
max. watt	**15W**
voltage	**230V**
class	**1**
diameter	**350 mm**
height	**135 mm**

order code

white	**T66A2IWLWL**

dot

design by sylvain willenz






private house (brussels, belgium), photo by tossB

The DOT series is a collection of lamps, which all share a distinctive and simple feature. Each lamp consists of a bent tube, ending with a white opal glass sphere. The result, whether table lamp or floor lamp, stands out, thanks to its minimal and graphic identity.

dot floor




lamp type	**retrofit LED**
fitting	**G9**
max. watt	**5W**
voltage	**230V**
class	**1**
length	**230 mm**
width	**380 mm**
height	**1300 mm**

order code

white	**T93F1HWL**
black	**T93F1HZL**

dot table




lamp type	**retrofit LED**
fitting	**G9**
max. watt	**5W**
voltage	**230V**
class	**1**
length	**230 mm**
width	**380 mm**
height	**450 mm**

order code

white	**T93T1HWL**
black	**T93T1HZL**

float

design by glenn marys



FLOAT is a ceiling mounted system that provides a pleasant indirect lighting. The vertical structure is reminiscent of classical columns and is available in different lengths.

The powder coated round disk that functions as a diffusor is available in different diameters and floats between the vertical rods. The position of the disk can easily be adjusted to create different lighting effects and different variations in the design. The dim to warm LED module is hidden inside the cooling volume and the electrical cable is discretely placed so that the design exists of 2 shapes only; a cylindrical structure and a disk.

FLOAT's shapes are timeless, pure and minimal and therefore FLOAT is easily applicable, single or combined, in various environments.



float S



lamp type	**LED (DIM TO WARM)**
colour temp.	**2200K ~ 2850K**
max. watt	**10W**
voltage	**230V**
lumen	**1385**
class	**1**
gear	**incorporated (TRIAC)**
height	**297 mm**
diameter	**160 mm**

order code	
white	**T106H1DWL**
black	**T106H1DZL**


float M



lamp type	**LED (DIM TO WARM)**
colour temp.	**2200K ~ 2850K**
max. watt	**10W**
voltage	**230V**
lumen	**1385**
class	**1**
gear	**incorporated (TRIAC)**
height	**550 mm**
diameter	**160 mm**

order code	
white	**T106H2DWL**
black	**T106H2DZL**

float L



lamp type	**LED (DIM TO WARM)**
colour temp.	**2200K ~ 2850K**
max. watt	**10W**
voltage	**230V**
lumen	**1385**
class	**1**
gear	**incorporated (TRIAC)**
height	**800 mm**
diameter	**160 mm**

order code	
white	**T106H3DWL**
black	**T106H3DZL**


float XL



lamp type	**LED (DIM TO WARM)**
colour temp.	**2200K ~ 2850K**
max. watt	**10W**
voltage	**230V**
lumen	**1385**
class	**1**
gear	**incorporated (TRIAC)**
height	**1050 mm**
diameter	**160 mm**

order code	
white	**T106H4DWL**
black	**T106H4DZL**


float disk 400



diameter	**400 mm**

order code	
white	**T106P1WL**


float disk 600



diameter	**600 mm**

order code	
white	**T106P2WL**

float disk 800




diameter	**800 mm**

order code	
white	**T106P3WL**



flower

design by alain monnens



Slim, playful, organic, frivolous: all terms which can perfectly be applied to this new and stylish outdoor lighting system. The elegantly curved form of the mounting bar looks as thought it might have been shaped by nature itself, whilst the wind whistles around the armature as though it was designed with only this in mind!

The system is easy to integrate into shrub and plant borders, but is equally graceful sited at the edge of your lawn. The FLOWER is available with a pin or fixed base.



private house (slijpe, belgium) by frederik blontrock concepts

flower pin



lamp type	**retrofit LED**
fitting	**E27**
max. watt	**15W**
voltage	**230V**
class	**2**
IP	**56**
diameter	**60/25 mm**
height	**1600 mm**

order code

white	**T45F1FWL**
black	**T45F1FZL**

flower fixed



lamp type	**retrofit LED**
fitting	**E27**
max. watt	**15W**
voltage	**230V**
class	**2**
IP	**56**
diameter	**60/25 mm**
height	**1350 mm**

order code

white	**T45F2FWL**
black	**T45F2FZL**


fly

design by peter van de water



FLY is a contemporary design LED wall lamp. Its V-shaped design has a light and playful appearance, like a bird flying in the air. FLY is available in two sizes and various colours. When several fixtures are combined on a wall, it creates a playful but cosy effect on your wall.


fly



lamp type	**LED (DIM TRIAC)**
colour temp.	**2700K**
max. watt	**6W**
lumen	**600**
voltage	**230V**
class	**1**
gear	**-**
length	**180 mm**
width	**150 mm**
height	**50 mm**


order code	
white	**T88A1DWL**
black	**T88A1DZL**

fly big



lamp type	**LED (DIM TRIAC)**
colour temp.	**2700K**
max. watt	**6W**
lumen	**600**
voltage	**230V**
class	**1**
gear	**-**
length	**265 mm**
width	**180 mm**
height	**75 mm**

order code	
white	**T88A2DWL**
black	**T88A2DZL**



groove

design by alain monnens






Of all the models in the collection, the GROOVE perhaps comes closest to the famous design concept that “less is more”. The GROOVE is the ultimate tribute to the ‘“no-nonsense” approach. No screws, clamps or bolts, except where absolutely unavoidable.

The glass is slid into the mounting in an original – but easy to operate – manner. The GROOVE is highly practical, but with two light slits in the side panels as a fun “extra” feature.



private house (nieuwpoort, belgium) by frederik blontrock concepts

groove 100x100 E27




lamp type	**A60**
fitting	**E27**
max. watt	**15W**
voltage	**230V**
class	**1**
gear	**-**
length	**100 mm**
width	**100 mm**
height	**150 mm**

order code

aluminium	**T51C08IAB**
chrome	**T51C08IAP**
white	**T51C08IWL**
black	**T51C08IZL**

groove 150x150 E27



lamp type	**A60**
fitting	**E27**
max. watt	**15W**
voltage	**230V**
class	**1**
gear	**-**
length	**150 mm**
width	**150 mm**
height	**150 mm**

order code

aluminium	**T51C15IAB**
chrome	**T51C15IAP**
white	**T51C15IWL**
black	**T51C15IZL**

hat

design by alain monnens



private house (roeselare, belgium) by alain monnens

At first glance, the HAT appears to be a classic-style floor lamp—but it is much more than that! The elegant one-piece base supports a supremely functional shade. Because of the original manner in which this shade is mounted, it can easily be swivelled into a new position, turning your 'downlighter' into an 'uplighter'. Both the shade and the base are offered in two different colours, which can be freely combined with each other.



loft (roeselare, belgium) by alain monnens

hat



lamp type	**A60**
fitting	**E27**
max. watt	**15W**
voltage	**230V**
class	**1**
diameter	**725 mm**
height	**1950 mm**

order code shade

white	**TS65W**
black	**TS65B**

order code base

white	**T65F1IWL**
black	**T65F1IZL**



hoola

design by jos muller




With its very light and minimal design HOOLA creates an archetypical light circle. The soft light is directed upwards and downwards while its highly efficient led-light curves along with the lamp shape.

HOOLA is available in 60, 100 and 140cm diameter. HOOLA will be a real eyecatcher when different diameters are combined. It can be arranged in horizontal, angled or even vertical positions. The lamps can be placed close to a ceiling in free open spaces.



private house (kortrijk, belgium) by lightpoint europe, photo by beeldcollectief.be

hoola 60



lamp type	**LED**
colour temp.	**2400K / 2700K / 3000K**
max. watt	**36W**
voltage	**230V**
lumen	**2120**
class	**1**
gear	**incorporated**
diameter	**600 mm**
height	**25 (max 2500) mm**

order code 2400K

white	**T92H3DWL**
black	**T92H3DZL**


order code 2700K

white	**T92H9DWL**
black	**T92H9DZL**

order code 3000K

white	**T92H1DWL**
black	**T92H1DZL**

hoola 100



lamp type	**LED**
colour temp.	**2400K / 2700K / 3000K**
max. watt	**60W**
voltage	**230V**
lumen	**3540**
class	**1**
gear	**incorporated**
diameter	**1000 mm**
height	**25 (max 2500) mm**

order code 2400K

white	**T92H4DWL**
black	**T92H4DZL**


order code 2700K

white	**T92H10DWL**
black	**T92H10DZL**

order code 3000K

white	**T92H2DWL**
black	**T92H2DZL**

hoola 140



lamp type	**LED**
colour temp.	**2400K / 2700K / 3000K**
max. watt	**90W**
voltage	**230V**
lumen	**4950**
class	**1**
gear	**incorporated**
diameter	**1400 mm**
height	**25 (max 2500) mm**

order code 2400K

white	**T92H17DWL**
black	**T92H17DZL**

order code 2700K

white	**T92H14DWL**
black	**T92H14DZL**


order code 3000K

white	**T92H13DWL**
black	**T92H13DZL**



LCL (Diegem, Belgium) by Verlichting.be

hoola 60 dim




lamp type	**LED**
colour temp.	**2400K / 2700K / 3000K**
max. watt	**36W**
voltage	**230V**
lumen	**2120**
class	**1**
gear	**incorporated (DIM 0-10V)**
diameter	**600 mm**
height	**25 (max 2500) mm**

order code 2400K	
white	**T92H3DWLD**
black	**T92H3DZLD**

order code 2700K	
white	**T92H9DWLD**
black	**T92H9DZLD**

order code 3000K	
white	**T92H1DWLD**
black	**T92H1DZLD**

hoola 100 dim




lamp type	**LED**
colour temp.	**2400K / 2700K / 3000K**
max. watt	**60W**
voltage	**230V**
lumen	**3540**
class	**1**
gear	**incorporated (DIM 0-10V)**
diameter	**1000 mm**
height	**25 (max 2500) mm**

order code 2400K	
white	**T92H4DWLD**
black	**T92H4DZLD**

order code 2700K	
white	**T92H10DWLD**
black	**T92H10DZLD**

order code 3000K	
white	**T92H2DWLD**
black	**T92H2DZLD**

hoola 140 dim




lamp type	**LED**
colour temp.	**2400K / 2700K / 3000K**
max. watt	**90W**
voltage	**230V**
lumen	**4950**
class	**1**
gear	**incorporated (DIM 0-10V)**
diameter	**1400 mm**
height	**25 (max 2500) mm**

order code 2400K	
white	**T92H17DWLD**
black	**T92H17DZLD**

order code 2700K	
white	**T92H14DWLD**
black	**T92H14DZLD**

order code 3000K	
white	**T92H13DWLD**
black	**T92H13DZLD**

hoola driver & driver box S




order code drivers not dimmable	
60W	**MW60**
100W	**MW90**

order code drivers 0-10V	
40W	**MW40DIM**
60W	**MW60DIM**
90W	**MW90DIM**

driver box S	
diameter	**270 mm**
height	**55 mm**

order code	
white	**TP36PWL**
black	**TP36PZL**

hoola driver & driver box L




order code drivers not dimmable	
60W	**MW60**
100W	**MW90**

order code drivers 0-10V	
40W	**MW40DIM**
60W	**MW60DIM**
90W	**MW90DIM**
120W	**MW120DIM**

driver box L	
diameter	**400 mm**
height	**55 mm**

order code	
white	**TP37PWL**
black	**TP37PZL**

hoola driver box rectangular




order code drivers not dimmable	
60W	**MW60**
100W	**MW90**


order code drivers 0-10V	
40W	**MW40DIM**
60W	**MW60DIM**
90W	**MW90DIM**
120W	**MW120DIM**

driver box rectangular	
height	**40 mm**
length	**300 mm**
width	**70 mm**

order code	
white	**T51LWL**
black	**T51LZL**



hoola 60
without base & driver



lamp type	**LED**
colour temp.	**2400K / 2700K / 3000K**
max. watt	**36W**
voltage	**24V**
lumen	**2120**
class	**2**
gear	**not incorporated**
diameter	**600 mm**
height	**25 (max 2500) mm**

order code 2400K

white	**T92H7DWL**
black	**T92H7DZL**


order code 2700K

white	**T92H11DWL**
black	**T92H11DZL**

order code 3000K

white	**T92H5DWL**
black	**T92H5DZL**

hoola 100
without base & driver



lamp type	**LED**
colour temp.	**2400K / 2700K / 3000K**
max. watt	**60W**
voltage	**24V**
lumen	**3540**
class	**2**
gear	**not incorporated**
diameter	**1000 mm**
height	**25 (max 2500) mm**

order code 2400K

white	**T92H8DWL**
black	**T92H8DZL**


order code 2700K

white	**T92H12DWL**
black	**T92H12DZL**

order code 3000K

white	**T92H6DWL**
black	**T92H6DZL**

hoola 140
without base & driver



lamp type	**LED**
colour temp.	**2400K / 2700K / 3000K**
max. watt	**90W**
voltage	**24V**
lumen	**4950**
class	**2**
gear	**not incorporated**
diameter	**1400 mm**
height	**25 (max 2500) mm**

order code 2400K

white	**T92H18DWL**
black	**T92H18DZL**

order code 2700K

white	**T92H16DWL**
black	**T92H16DZL**

order code 3000K

white	**T92H15DWL**
black	**T92H15DZL**



hoop

design by tossB



ice cream damass ... nt, belgium) by lightpoint europe photo by beeldcollectief.be

HOOP is a LED luminaire that stands out by its monumental and architectural design. The technologies that are used are adapted to the simplicity of the ring-shaped luminaire. A flexible LED strip is mounted invisibly inside the steel ring creating a diffuse and soft illumination.


HOOP is a real eye catcher that functions -in its highest capacity- as general lighting as well. HOOP is finished in a matte white paint.



xcour (kortrijk, belgium) by surplus, photo by bert dcollectief.be



hoop 600 suspension



voltage	**230V**
lumen	**2520 (24W) / 3960 (36W)**
class	**1**
gear	**incorporated**
diameter	**600 mm**
height	**90 (max 2500) mm**
finishing	**white painted**


order code

3000K 24W	**T78H6DWL**
3000K 36W	**T78H10DWL**

* dimmable on request

** 2700K on request

hoop 600 ceiling



voltage	**230V**
lumen	**2520 (24W) / 3960 (36W)**
class	**1**
gear	**incorporated**
diameter	**600 mm**
height	**90 mm**
finishing	**white painted**


order code

3000K 24W	**T78C6DWL**
3000K 36W	**T78C10DWL**

* dimmable on request

** 2700K on request

hoop 600 wall



voltage	**230V**
lumen	**2520 (24W) / 3960 (36W)**
class	**1**
gear	**incorporated**
diameter	**600 mm**
height	**90 mm**
finishing	**white painted**

order code


3000K 24W	**T78A6DWL**
3000K 36W	**T78A10DWL**

* dimmable on request

** 2700K on request



hoop 950 suspension




voltage	**230V**
lumen	**2160 (22W)**
	4280 (40W)
	6600 (60W)
class	**1**
gear	**incorporated**
diameter	**950 mm**
height	**120 (max 2500) mm**
finishing	**white painted**

order code	
3000K 22W	**T78H1DWL**
3000K 40W	**T78H2DWL**
3000K 60W	**T78H3DWL**

* dimmable on request

** 2700K on request

hoop 950 ceiling




voltage	**230V**
lumen	**2160 (22W)**
	4280 (40W)
	6600 (60W)
class	**1**
gear	**incorporated**
diameter	**950 mm**
height	**120**
finishing	**white painted**

order code	
3000K 22W	**T78C1DWL**
3000K 40W	**T78C2DWL**
3000K 60W	**T78C3DWL**

* dimmable on request

** 2700K on request

hoop 950 wall



voltage	**230V**
lumen	**2160 (22W)**
	4280 (40W)
	6600 (60W)
class	**1**
gear	**incorporated**
diameter	**950 mm**
height	**120**
finishing	**white painted**

order code	
3000K 22W	**T78A1DWL**
3000K 40W	**T78A2DWL**
3000K 60W	**T78A3DWL**


* dimmable on request

** 2700K on request

mobi

design by glenn marys








Each MOBI has 2 circular LED sources that are connected with a thin tube and is balanced by 2 cables. Every LED cylinder is rotatable and makes it easy to control and direct the light wherever necessary. At the basis of the design of MOBI are a highly functional, dim to warm LED module and optimal light diffusion through precisely calculated optical diffusors.

MOBI can be used as a single or double installation to create a graphic and minimalistic character, but combined together they will transform into an eye-catching chandelier. Its simple and timeless shapes make MOBI adaptable for all spaces.


mobi 1 base



voltage	**230V**
gear	**incorporated (TRIAC)**
class	**1**
diameter	**170 mm**
height	**42 mm**

order code	
white	**T101H1DWL**
black	**T101H1DZL**


mobi 2 base



voltage	**230V**
gear	**incorporated (TRIAC)**
class	**1**
diameter	**240 mm**
height	**42 mm**

order code	
white	**T101H2DWL**
black	**T101H2DZL**

mobi 3 base



voltage	**230V**
gear	**incorporated (TRIAC)**
class	**1**
diameter	**240 mm**
height	**42 mm**

order code	
white	**T101H3DWL**
black	**T101H3DZL**

mobi S arm



lamp type	**LED (DIM TO WARM)**
colour temp.	**2200K ~ 2850K**
max. watt	**2x10W**
voltage	**350mA**
lumen	**2 x 1385**
gear	**not incorporated**
length	**960 mm**
diameter	**170 mm LED**

order code	
white	**T101P1DWL**
black	**T101P1DZL**

mobi M arm



lamp type	**LED (DIM TO WARM)**
colour temp.	**2200K ~ 2850K**
max. watt	**2x10W**
voltage	**350mA**
lumen	**2 x 1385**
gear	**not incorporated**
length	**1160 mm**
diameter	**170 mm LED**

order code	
white	**T101P2DWL**
black	**T101P2DZL**

mobi L arm



lamp type	**LED (DIM TO WARM)**
colour temp.	**2200K ~ 2850K**
max. watt	**2x10W**
voltage	**350mA**
lumen	**2 x 1385**
gear	**not incorporated**
length	**1360 mm**
diameter	**170 mm LED**

order code	
white	**T101P3DWL**
black	**T101P3DZL**








private house (copenhagen, denmark) by norm architects, photo by norm architects.

nero

design by david dolcini

NERO is a LED adjustable (track) spotlight where the light comes out from a dark box. Extremely minimal in its design, NERO is functional and versatile, suitable to be used in contract projects as well as in domestic interiors.


nero ceiling



lamp type	**LED**
colour temp.	**2700K**
wattage	**13W**
voltage	**230V**
lumen	**1310**
class	**1**
gear	**incorporated (TRIAC)**
rotation	**350°**
inclination	**35°**
length	**150 mm**
width	**100 mm**
height	**100 mm**

order code	
white/black	**T89C1DWL**
black/black	**T89C1DZL**

nero track



lamp type	**LED**
colour temp.	**2700K**
wattage	**13W**
voltage	**230V**
lumen	**1310**
class	**1**
gear	**incorporated**
rotation	**350°**
inclination	**35°**
length	**150 mm**
width	**100 mm**
height	**150 mm**

order code	
white/black	**T89R1DWL**
black/black	**T89R1DZL**





private house (sint-martens-latem, belgium) by lightpoint europe, photo by celine de gussem

nis

design by michel vyvey

NIS is like a three-dimensional painting; it emits a very special and powerful light. It evokes deep emotions, just like a work of art does. Yet NIS is a complete and highly efficient lighting fixture.




la riva (antwerp) by 2lite



panos (brugge, belgium) by cebeo brugge, photo by vicky ohnemus


nis 60 surface mounted



lamp type	**retrofit LED**
fitting	**R7s (74.9)**
max watt.	**5W**
voltage	**230V**
class	**1**
gear	**-**
length	**260 mm**
width	**260 mm**
height	**102 mm**

order code	
white	**T26A1HWL**

nis 160 surface mounted



lamp type	**retrofit LED**
fitting	**G9**
max watt.	**4 x 5W**
voltage	**230V**
class	**1**
gear	**-**
length	**380 mm**
width	**380 mm**
height	**102 mm**

order code	
white	**T26A3HWL**

reach

design by jos muller



private house (knokke, belgium) photo by beeldcollectief.be

The highly positioned spotlight of this elegant floorlamp offers a wide area of lighting. REACH can easily be placed in both residential and professional environments where a functional lighting is needed or just to create a comfortable atmosphere. Of course REACH can be delivered in various heights, complete with an integrated cord dimmer that always allows you to set the right lighting intensity needed.



reach 160 floor



lamp type	**retrofit LED**
fitting	**GU10**
max. watt	**10W**
voltage	**230V**
class	**1**
gear	**cord dimmer**
width	**250 mm**
height	**1600 mm**

order code

white	**T103F1HWL**
black	**T103F1HZL**

reach 200 floor



lamp type	**retrofit LED**
fitting	**GU10**
max. watt	**10W**
voltage	**230V**
class	**1**
gear	**cord dimmer**
width	**250 mm**
height	**2000 mm**

order code

white	**T103F2HWL**
black	**T103F2HZL**

reach 240 floor



lamp type	**retrofit LED**
fitting	**GU10**
max. watt	**10W**
voltage	**230V**
class	**1**
gear	**cord dimmer**
width	**250 mm**
height	**2400 mm**

order code


white	**T103F3HWL**
black	**T103F3HZL**



round control

design by glenn marys

ROUND CONTROL is designed as a ceiling- and wall surface mounted system. During the installation, it can be adapted to any architectural concept due to countless variations in the design. The graphic character of the minimalistic design reveals its functions very honestly. ROUND CONTROL is devised for lighting rooms in commercial areas, board rooms and lounge areas as well as residential rooms. The indirect lighting – with high power LED modules - creates a soft and comfortable atmosphere when dimmed and provides a functional lighting at full power.






private house, brugge, photo by beeldcollectief.be


by smart interior studio

round control 1/2/3 base



voltage	**230V**
gear	**incorporated (TRIAC)**
class	**1**
diameter	**120 mm**
height	**160 mm**

order code base 1

white	**T100H1DWL**
black	**T100H1DZL**


order code base 2

white	**T100H2DWL**
black	**T100H2DZL**

order code base 3

white	**T100H3DWL**
black	**T100H3DZL**

round control arm 1




lamp type	**LED**
colour temp.	**2700K**
max. watt	**13W**
voltage	**350mA**
lumen	**1546**
gear	**not incorporated**
class	**1**
length	**370 mm**
width	**230 mm**

order code

white	**T100P1DWL**
black	**T100P1DZL**

round control arm 2




lamp type	**LED**
colour temp.	**2700K**
max. watt	**13W**
voltage	**350mA**
lumen	**1546**
gear	**not incorporated**
length	**510 mm**
width	**230 mm**

order code

white	**T100P2DWL**
black	**T100P2DZL**

round control arm 3




lamp type	**LED**
colour temp.	**2700K**
max. watt	**13W**
voltage	**350mA**
lumen	**1546**
gear	**not incorporated**
length	**660 mm**
width	**230 mm**

order code

white	**T100P3DWL**
black	**T100P3DZL**

round control arm 4




lamp type	**LED**
colour temp.	**2700K**
max. watt	**13W**
voltage	**350mA**
lumen	**1546**
gear	**not incorporated**
length	**810 mm**
width	**230 mm**

order code

white	**T100P4DWL**
black	**T100P4DZL**


round control arm 5




lamp type	**LED**
colour temp.	**2700K**
max. watt	**13W**
voltage	**350mA**
lumen	**1546**
gear	**not incorporated**
length	**960 mm**
width	**230 mm**

order code

white	**T100P5DWL**
black	**T100P5DZL**



round control mini 1/2/3 base



voltage	**230V**
class	**1**
diameter	**80 mm**
height	**100 mm**

order code base 1

white	**T100H4DWL**
black	**T100H4DZL**


order code base 2

white	**T100H5DWL**
black	**T100H5DZL**

order code base 3

white	**T100H6DWL**
black	**T100H6DZL**

round control mini arm 1




lamp type	**LED (TRIAC)**
colour temp.	**2700K**
max. watt	**6W**
voltage	**230V**
lumen	**600**
length	**250 mm**
width	**130 mm**

order code

white	**T100P7DWL**
black	**T100P7DZL**

round control mini arm 2




lamp type	**LED (TRIAC)**
colour temp.	**2700K**
max. watt	**6W**
voltage	**230V**
lumen	**600**
length	**350 mm**
width	**130 mm**

order code

white	**T100P8DWL**
black	**T100P8DZL**

round control mini arm 3




lamp type	**LED (TRIAC)**
colour temp.	**2700K**
max. watt	**6W**
voltage	**230V**
lumen	**600**
length	**450 mm**
width	**130 mm**

order code

white	**T100P9DWL**
black	**T100P9DZL**

round control mini arm 4




lamp type	**LED (TRIAC)**
colour temp.	**2700K**
max. watt	**6W**
voltage	**230V**
lumen	**600**
length	**550 mm**
width	**130 mm**

order code

white	**T100P10DWL**
black	**T100P10DZL**

round control mini arm 5



lamp type	**LED (TRIAC)**
colour temp.	**2700K**
max. watt	**6W**
voltage	**230V**
lumen	**600**
length	**650 mm**
width	**130 mm**

order code

white	**T100P11DWL**
black	**T100P11DZL**

rozetta

design by alain monnens






A sober design, with just the right dimensions and a wide range of possibilities. The E27 fitting allows you a free choice of light source. The most popular option is the globe lamp, but the ROZETTA works equally well with Par lamps, filling your space with stylish light at a reasonable price.



loft (roeselare, belgium) by alain monnens photo by philip braem


rozetta S



lamp type	**A60**
fitting	**E27**
max. watt	**15W**
voltage	**230V**
class	**1**
diameter	**50 mm**
height	**85 mm**

order code	
chrome	**T52C1IAP**
gold	**T52C1IAD**
white	**T52C1IWL**
black	**T52C1IZL**


rozetta M



lamp type	**A60**
fitting	**E27**
max. watt	**15W**
voltage	**230V**
class	**1**
diameter	**50 mm**
height	**170 mm**

order code	
chrome	**T52C2IAP**
gold	**T52C2IAD**
white	**T52C2IWL**
black	**T52C2IZL**


rozetta L



lamp type	**A60**
fitting	**E27**
max. watt	**15W**
voltage	**230V**
class	**1**
diameter	**50 mm**
height	**255 mm**

order code	
chrome	**T52C3IAP**
gold	**T52C3IAD**
white	**T52C3IWL**
black	**T52C3IZL**


rozetta suspension S



lamp type	**A60**
fitting	**E27**
max. watt	**15W**
voltage	**230V**
class	**1**
diameter	**50 mm**
height	**85 (max 1500) mm**

order code	
chrome/bl.base	**T52H1IAP**
gold/bl.base	**T52H1IAD**
white	**T52H1IWL**
black	**T52H1IZL**


rozetta suspension M



lamp type	**A60**
fitting	**E27**
max. watt	**15W**
voltage	**230V**
class	**1**
diameter	**50 mm**
height	**170 (max 1500) mm**

order code	
chrome/bl.base	**T52H2IAP**
gold/bl.base	**T52H2IAD**
white	**T52H2IWL**
black	**T52H2IZL**

rozetta suspension L



lamp type	**A60**
fitting	**E27**
max. watt	**15W**
voltage	**230V**
class	**1**
diameter	**50 mm**
height	**255 (max 1500) mm**

order code	
chrome/bl.base	**T52H3IAP**
gold/bl.base	**T52H3IAD**
white	**T52H3IWL**
black	**T52H3IZL**

shuffle

design by michel vyvey

SHUFFLE is a built-in spot system with two light sources on a single plate.


The socket tubes can be set deep into the plate or pushed into a more downwards position, according to your personal preference. This ensures that the beams of light are adjustable, whatever light source you choose. The standard sockets are cylindrical in form, but there is also a version with a bevelled edge, which offers a wider range of lighting variations.





la scala pizzeria (nieuwpoort, belgium) by annemie pattyn & hugo delzutter, photo by philip braem

shuffle 230V surfaced




lamp type	**retrofit LED**
fitting	**GZ10**
max. watt	**2 x 10W**
voltage	**230V**
class	**1**
gear	**-**
length	**227 mm**
width	**102 mm**
height	**65/86 mm**

order code

white	**T49S5HWL**
black	**T49S5HZL**

shuffle 230V



lamp type	**retrofit LED**
fitting	**GZ10**
max. watt	**2 x 10W**
voltage	**230V**
class	**1**
gear	**-**
length	**225 mm**
width	**100 mm**
height	**8/86 mm**

order code

white	**T49S2HWL**
black	**T49S2HZL**

sphere

design by alain monnens



The SPHERE is available in various different forms: a table or floor lamp, a single suspension lamp, a triple suspension lamp, a seven-armed suspension lamp, a wall lamp and a wall lamp with plug. This versatility means that the SPHERE is easy to combine in almost any interior. Its soft light and its simple but elegant outline bring a warm ambiance to every room. The ‘soft touch’ finishing gives an added dimension to a design concept which feels instinctively relaxing.




sphere ceiling



lamp type	**A60**
fitting	**E27**
max. watt	**15W**
voltage	**230V**
class	**1**
diameter	**200 mm**
height	**200 mm**

order code	
black/white	**T46C1IZL**
white/white	**T46C1IWL**

sphere floor/table



lamp type	**A60**
fitting	**E27**
max. watt	**15W**
voltage	**230V**
class	**1**
diameter	**200 mm**
height	**235 mm**

order code	
black/white	**T46F1IZL**
white/white	**T46F1IWL**




carbon hotel (genk) photo by hugo thomassen



carbon hotel (genk) photo by hugo thomassen


sphere wall



lamp type	**A60**
fitting	**E27**
max. watt	**15W**
voltage	**230V**
class	**1**
diameter	**200 mm**
height	**235 mm**

order code	
black/white	**T46A1IZL**
white/white	**T46A1IWL**

sphere wall+



lamp type	**A60**
fitting	**E27**
max. watt	**15W**
voltage	**230V**
class	**1**
diameter	**200 mm**
height	**235 mm**

order code	
black/white	**T46A2IZL**
white/white	**T46A2IWL**

sphere wall flat



lamp type	**A60**
fitting	**E27**
max. watt	**15W**
voltage	**230V**
class	**1**
diameter	**200 mm**
height	**225 mm**

order code	
black/white	**T46A3IZL**
white/white	**T46A3IWL**


sphere 1



lamp type	**A60**
fitting	**E27**
max. watt	**15W**
voltage	**230V**
class	**1**
diameter	**200 mm**
height	**170 (max. 1500) mm**

order code	
black/white	**T46H1IZL**
white/white	**T46H1IWL**


sphere 3



lamp type	**A60**
fitting	**E27**
max. watt	**3 x 15W**
voltage	**230V**
class	**1**
diameter	**430 mm**
height	**170 (max. 1500) mm**

order code	
black/white	**T46H2IZL**
white/white	**T46H2IWL**

sphere 7



lamp type	**A60**
fitting	**E27**
max. watt	**7 x 15W**
voltage	**230V**
class	**1**
diameter	**600 mm**
height	**170 (max. 1500) mm**

order code	
black/white	**T46H3IZL**
white/white	**T46H3IWL**



private house by pvd verlichting photo by arne jennard


sphere 1 big



lamp type	**A60**
fitting	**E27**
max. watt	**15W**
voltage	**230V**
class	**1**
diameter	**300 mm**
height	**240 (max. 1500) mm**

order code	
black/white	**T46H4IZL**
white/white	**T46H4IWL**


sphere 3 big



lamp type	**A60**
fitting	**E27**
max. watt	**3 x 15W**
voltage	**230V**
class	**1**
diameter	**650 mm**
height	**240 (max. 1500) mm**

order code	
black/white	**T46H5IZL**
white/white	**T46H5IWL**

sphere 7 big



lamp type	**A60**
fitting	**E27**
max. watt	**7 x 15W**
voltage	**230V**
class	**1**
diameter	**900 mm**
height	**240 (max. 1500) mm**

order code	
black/white	**T46H6IZL**
white/white	**T46H6IWL**

spin


design by beat karrer



showroom sterck nv (aalst)

SPIN is an adjustable pendant luminaire interpreting the classic sphere – with a special feature. Thanks to the excentric mounting point the light direction can be adapted most easily. With SPIN changing the lighting mood is just one turn away.





spin suspension recessed




lamp type	**LED**
colour temp.	**2700K**
max. watt	**10W**
voltage	**350mA**
lumen	**1300**
class	**1**
gear	**not incorporated**
inclination	**2 x 90°**
length	**350 mm**
diameter	**100 mm**
height	**260/1500 mm**

order code

black	**T80H1DZL**
white	**T80H1DWL**

spin suspension surface



voltage	**230V**
gear	**incorporated**
diameter	**60 mm**
height	**150 mm**


order code NON DIM

black	**T80P1DZL**
white	**T80P1DWL**

order code 1-10V/PUSH

black	**T80P1DZLD**
white	**T80P1DWLD**

spin suspension recessed



voltage	**230V**
gear	**incorporated**
diameter	**100 mm**
height	**2 mm**


order code NON DIM

black	**T80P2DZL**
white	**T80P2DWL**

order code 1-10V/PUSH

black	**T80P2DZLD**
white	**T80P2DWLD**

spin ceiling/wall



lamp type	**LED**
colour temp.	**2700K**
max. watt	**10W**
voltage	**350mA**
lumen	**1300**
class	**1**
gear	**not incorporated**
inclination	**2 x 90°**
length	**350 mm**
diameter	**100 mm**
height	**310 mm**

order code

black	**T80A1DZL**
white	**T80A1DWL**

spin ceiling/wall surface




voltage	**230V**
gear	**incorporated**
diameter	**100 mm**
height	**65 mm**

order code NON DIM

black	**T80P3DZL**
white	**T80P3DWL**

spin ceiling recessed



voltage	**230V**
gear	**incorporated**
diameter	**100 mm**
height	**2 mm**

order code NON DIM

black	**T80P2DZL**
white	**T80P2DWL**

order code 1-10V/PUSH

black	**T80P2DZLD**
white	**T80P2DWLD**

thin


design by alain berteau




private house by light unit (leuven)

The thin lamps can be described as a flattened reimagining of traditional lamp typologies. Their innovative layered design allows perfect cooling of the powerful LED's components while the archetypal silhouettes offer a very distinctive yet familiar presence. Scalable and versatile, suitable for both residential and public uses.

thin




lamp type	**LED**
colour temp.	**2700K**
max. watt	**13W**
voltage	**230V**
lumen	**780**
class	**1**
gear	**incorporated (TRIAC)**
length	**150 mm**
width	**12 mm**
height	**200 (max.2500) mm**

order code

white	**T99H1DWL**
black	**T99H1DZL**

thin big



lamp type	**LED**
colour temp.	**2700K**
max. watt	**13W**
voltage	**230V**
lumen	**780**
class	**1**
gear	**incorporated (TRIAC)**
length	**190 mm**
width	**12 mm**
height	**250 (max.2500) mm**

order code

white	**T99H2DWL**
black	**T99H2DZL**


tibo

design by michel vyvey


Simple, stylish aluminium wall fixtures of a sleek line design. Available with a brushed and lacquered or a white or black textured enamel finish. TIBO is offered in various dimensions for retrofit or with integrated LED.



private house by juma architects




tibo



lamp type	**retrofit LED**
fitting	**R7s (74.9)**
max. watt	**10W**
voltage	**230V**
class	**1**
gear	**-**
length	**150 mm**
width	**70 mm**
height	**50 mm**

order code	
aluminium	**T13A1HAB**
chrome	**T13A1HAP**
black	**T13A1HZL**
white	**T13A1HWL**


tibo up or down



lamp type	**retrofit LED**
fitting	**R7s (74.9)**
max. watt	**10W**
voltage	**230V**
class	**1**
gear	**-**
length	**150 mm**
width	**70 mm**
height	**50 mm**

order code	
aluminium	**T13A5HAB**
chrome	**T13A5HAP**
black	**T13A5HZL**
white	**T13A5HWL**


tibo covered



lamp type	**retrofit LED**
fitting	**R7s (74.9)**
max. watt	**10W**
voltage	**230V**
class	**1**
gear	**-**
length	**150 mm**
width	**82 mm**
height	**50 mm**

order code	
aluminium	**T13A4HAB**
chrome	**T13A4HAP**
black	**T13A4HZL**
white	**T13A4HWL**


tibo big



lamp type	**retrofit LED**
fitting	**R7s (114.2)**
max. watt	**10W**
voltage	**230V**
class	**1**
gear	**-**
length	**200 mm**
width	**97 mm**
height	**65 mm**

order code	
aluminium	**T27A4HAB**
chrome	**T27A4HAP**
black	**T27A4HZL**
white	**T27A4HWL**


tibo big up or down



lamp type	**retrofit LED**
fitting	**R7s (114.2)**
max. watt	**10W**
voltage	**230V**
class	**1**
gear	**-**
length	**200 mm**
width	**97 mm**
height	**65 mm**

order code	
aluminium	**T27A6HAB**
chrome	**T27A6HAP**
black	**T27A6HZL**
white	**T27A6HWL**

tibo big covered




lamp type	**retrofit LED**
fitting	**R7s (114.2)**
max. watt	**10W**
voltage	**230V**
class	**1**
gear	**-**
length	**200 mm**
width	**97 mm**
height	**65 mm**

order code	
aluminium	**T27A5HAB**
chrome	**T27A5HAP**
black	**T27A5HZL**
white	**T27A5HWL**



by Juma Architects


tibo LED up or down



lamp type	**LED**
colour temp.	**2700K**
max. watt	**8W**
voltage	**230V**
lumen	**800**
class	**1**
gear	**incorporated**
length	**150 mm**
width	**82 mm**
height	**50 mm**

order code	
aluminium	**T13A5DAB**
chrome	**T13A5DAP**
black	**T13A5DZL**
white	**T13A5DWL**


tibo LED up or down dim



lamp type	**LED**
colour temp.	**2700K**
max. watt	**8W**
voltage	**230V**
lumen	**800**
class	**1**
gear	**incorporated (TRIAC)**
length	**150 mm**
width	**82 mm**
height	**50 mm**

order code	
aluminium	**T13A5DABD**
chrome	**T13A5DAPD**
black	**T13A5DZLD**
white	**T13A5DWLD**


tibo big LED up or down



lamp type	**LED**
colour temp.	**2700K**
max. watt	**8W**
voltage	**230V**
lumen	**800**
class	**1**
gear	**incorporated**
length	**200 mm**
width	**97 mm**
height	**65 mm**

order code	
aluminium	**T27A6DAB**
chrome	**T27A6DAP**
black	**T27A6DZL**
white	**T27A6DWL**

tibo big LED up or down dim




lamp type	**LED**
colour temp.	**2700K**
max. watt	**8W**
voltage	**230V**
lumen	**800**
class	**1**
gear	**incorporated (TRIAC)**
length	**200 mm**
width	**97 mm**
height	**65 mm**

order code	
aluminium	**T27A6DABD**
chrome	**T27A6DAPD**
black	**T27A6DZLD**
white	**T27A6DWLD**



private house (the netherlands)

tibo LED not dimmable




lamp type	**LED**
colour temp.	**2700K**
max. watt	**8W + 4W**
voltage	**230V**
lumen	**800 + 800**
class	**1**
gear	**incorporated**
length	**150 mm**
width	**82 mm**
height	**50 mm**

order code

aluminium	**T13A3DAB**
chrome	**T13A3DAP**
black	**T13A3DZL**
white	**T13A3DWL**

tibo LED dimmable




lamp type	**LED**
colour temp.	**2700K**
max. watt	**8W + 4W**
voltage	**230V**
lumen	**800 + 800**
class	**1**
gear	**incorporated (TRIAC)**
length	**150 mm**
width	**82 mm**
height	**50 mm**

order code

aluminium	**T13A3DABD**
chrome	**T13A3DAPD**
black	**T13A3DZLD**
white	**T13A3DWLD**

tibo LED outdoor




lamp type	**LED**
colour temp.	**2700K**
max. watt	**8W + 4W**
voltage	**230V**
lumen	**800 + 400**
class	**1**
gear	**incorporated**
length	**150 mm**
width	**82 mm**
height	**50 mm**
IP	**54**

order code

black	**T13A6DZL**
white	**T13A6DWL**

tibo big LED outdoor




lamp type	**LED**
colour temp.	**2700K**
max. watt	**8W + 8W**
voltage	**230V**
lumen	**800 + 800**
class	**1**
gear	**incorporated**
length	**200 mm**
width	**97 mm**
height	**65 mm**
IP	**54**

order code

black	**T27A9DZL**
white	**T27A9DWL**

tibo big LED not dimmable




lamp type	**LED**
colour temp.	**2700K**
max. watt	**8W + 8W**
voltage	**230V**
lumen	**800 + 800**
class	**1**
gear	**incorporated**
length	**200 mm**
width	**97 mm**
height	**65 mm**

order code

aluminium	**T27A1DAB**
chrome	**T27A1DAP**
black	**T27A1DZL**
white	**T27A1DWL**

tibo big LED dimmable



lamp type	**LED**
colour temp.	**2700K**
max. watt	**8W + 8W**
voltage	**230V**
lumen	**800 + 800**
class	**1**
gear	**incorporated (TRIAC)**
length	**200 mm**
width	**97 mm**
height	**65 mm**


order code

aluminium	**T27A1DABD**
chrome	**T27A1DAPD**
black	**T27A1DZLD**
white	**T27A1DWLD**

tribes

design by david abad







Inspired by the ‘Calumet’, those sacred pipes that are smoked by the indigenous tribes of North America. TRIBES is a family of pendant luminaries with a very graphic and minimalist design and is equipped with two direct and one indirect LED spot modules or with 3 direct spots.

TRIBES can create a unique and dynamic atmosphere. It is manufactured in three versions: indivdual or double with a clean graphic image and the triple version with a marked personality that creates a chandelier effect, which fits perfectly in the most contemporary spaces as well as classic or vintage interiors.






tribes wall L up



lamp type	**retrofit LED included**
fitting	**GU10**
max. watt	**10W**
voltage	**230V**
class	**1**
length	**400 mm**
width	**88 mm**
height	**136 mm**

order code	
white	**T98A1HWL**
black	**T98A1HZL**
white / gold	**T98A1HWLLB**
black / gold	**T98A1HZLLB**


tribes wall R up



lamp type	**retrofit LED included**
fitting	**GU10**
max. watt	**10W**
voltage	**230V**
class	**1**
length	**400 mm**
width	**88 mm**
height	**136 mm**

order code	
white	**T98A2HWL**
black	**T98A2HZL**
white / gold	**T98A2HWLLB**
black / gold	**T98A2HZLLB**


tribes wall L down



lamp type	**retrofit LED included**
fitting	**GU10**
max. watt	**10W**
voltage	**230V**
class	**1**
length	**400 mm**
width	**88 mm**
height	**136 mm**

order code	
white	**T98A3HWL**
black	**T98A3HZL**
white / gold	**T98A3HWLLB**
black / gold	**T98A3HZLLB**


tribes wall R down



lamp type	**retrofit LED included**
fitting	**GU10**
max. watt	**10W**
voltage	**230V**
class	**1**
length	**400 mm**
width	**88 mm**
height	**136 mm**

order code	
white	**T98A4HWL**
black	**T98A4HZL**
white / gold	**T98A4HWLLB**
black / gold	**T98A4HZLLB**

tribes LED 1 base




voltage	**230V**
class	**1**
gear	**incorporated (TRIAC)**
diameter	**170 mm**
height	**90 mm**

order code

white	**T98H1DWL**
black	**T98H1DZL**

tribes LED 2 base




voltage	**230V**
class	**1**
gear	**incorporated (TRIAC)**
diameter	**170 mm**
height	**90 mm**

order code

white	**T98H3DWL**
black	**T98H3DZL**

tribes LED 3 base




voltage	**230V**
class	**1**
gear	**incorporated (TRIAC)**
diameter	**280 mm**
height	**90 mm**

order code

white	**T98H2DWL**
black	**T98H2DZL**

tribes GU10 or globe 1 base




voltage	**230V**
class	**1**
diameter	**170 mm**
height	**90 mm**

order code

white	**T98H1HWL**
black	**T98H1HZL**

tribes GU10 or globe 2 base




voltage	**230V**
class	**1**
diameter	**170 mm**
height	**90 mm**

order code

white	**T98H3HWL**
black	**T98H3HZL**

tribes GU10 or globe 3 base




voltage	**230V**
class	**1**
diameter	**280 mm**
height	**90 mm**

order code

white	**T98H2HWL**
black	**T98H2HZL**


(Kiev, Ukrain)


tribes GU10 H1 - 60cm



lamp type	**retrofit LED**
fitting	**GU10**
max. watt	**3 x 10W**
voltage	**230V**
class	**2**
gear	**-**
length	**1400 mm**
width	**55 mm**
height	**600 mm**

order code	
white	**T98P1HWL**
black	**T98P1HZL**
white / gold	**T98P1HWLLB**
black / gold	**T98P1HZLLB**


tribes GU10 H2 - 70cm



lamp type	**retrofit LED**
fitting	**GU10**
max. watt	**3 x 10W**
voltage	**230V**
class	**2**
gear	**-**
length	**1400 mm**
width	**55 mm**
height	**700 mm**

order code	
white	**T98P2HWL**
black	**T98P2HZL**
white / gold	**T98P2HWLLB**
black / gold	**T98P2HZLLB**


tribes GU10 H3 - 80cm



lamp type	**retrofit LED**
fitting	**GU10**
max. watt	**3 x 10W**
voltage	**230V**
class	**2**
gear	**-**
length	**1400 mm**
width	**55 mm**
height	**800 mm**

order code	
white	**T98P3HWL**
black	**T98P3HZL**
white / gold	**T98P3HWLLB**
black / gold	**T98P3HZLLB**


tribes GU10 H4 - 100cm



lamp type	**retrofit LED**
fitting	**GU10**
max. watt	**3 x 10W**
voltage	**230V**
class	**2**
gear	**-**
length	**1400 mm**
width	**55 mm**
height	**1000 mm**

order code	
white	**T98P4HWL**
black	**T98P4HZL**
white / gold	**T98P4HWLLB**
black / gold	**T98P4HZLLB**


tribes GU10 H5 - 110cm



lamp type	**retrofit LED**
fitting	**GU10**
max. watt	**3 x 10W**
voltage	**230V**
class	**2**
gear	**-**
length	**1400 mm**
width	**55 mm**
height	**1100 mm**

order code	
white	**T98P5HWL**
black	**T98P5HZL**
white / gold	**T98P5HWLLB**
black / gold	**T98P5HZLLB**


tribes GU10 H6 - 120cm



lamp type	**retrofit LED**
fitting	**GU10**
max. watt	**3 x 10W**
voltage	**230V**
class	**2**
gear	**-**
length	**1400 mm**
width	**55 mm**
height	**1200 mm**

order code	
white	**T98P6HWL**
black	**T98P6HZL**
white / gold	**T98P6HWLLB**
black / gold	**T98P6HZLLB**


tribes GU10 H7 - 130cm



lamp type	**retrofit LED**
fitting	**GU10**
max. watt	**3 x 10W**
voltage	**230V**
class	**2**
gear	**-**
length	**1400 mm**
width	**55 mm**
height	**1300 mm**

order code	
white	**T98P7HWL**
black	**T98P7HZL**
white / gold	**T98P7HWLLB**
black / gold	**T98P7HZLLB**


tribes GU10 H8 - 140cm



lamp type	**retrofit LED**
fitting	**GU10**
max. watt	**3 x 10W**
voltage	**230V**
class	**2**
gear	**-**
length	**1400 mm**
width	**55 mm**
height	**1400 mm**

order code	
white	**T98P8HWL**
black	**T98P8HZL**
white / gold	**T98P8HWLLB**
black / gold	**T98P8HZLLB**


tribes LED H1 - 60cm



lamp type	**LED**
colour temp.	**2700K**
max. watt	**3 x 7W**
voltage	**350mA**
lumen	**3 x 600**
class	**2**
gear	**-**
length	**1400 mm**
width	**55 mm**
height	**600 mm**

order code	
white	**T98P1DWL**
black	**T98P1DZL**
white / gold	**T98P1DWLLB**
black / gold	**T98P1DZLLB**


tribes LED H2 - 70cm



lamp type	**LED**
colour temp.	**2700K**
max. watt	**3 x 7W**
voltage	**350mA**
lumen	**3 x 600**
class	**2**
gear	**-**
length	**1400 mm**
width	**55 mm**
height	**700 mm**

order code	
white	**T98P2DWL**
black	**T98P2DZL**
white / gold	**T98P2DWLLB**
black / gold	**T98P2DZLLB**


tribes LED H3 - 80cm



lamp type	**LED**
colour temp.	**2700K**
max. watt	**3 x 7W**
voltage	**350mA**
lumen	**3 x 600**
class	**2**
gear	**-**
length	**1400 mm**
width	**55 mm**
height	**800 mm**

order code	
white	**T98P3DWL**
black	**T98P3DZL**
white / gold	**T98P3DWLLB**
black / gold	**T98P3DZLLB**


tribes LED H4 - 100cm



lamp type	**LED**
colour temp.	**2700K**
max. watt	**3 x 7W**
voltage	**350mA**
lumen	**3 x 600**
class	**2**
gear	**-**
length	**1400 mm**
width	**55 mm**
height	**1000 mm**

order code	
white	**T98P4DWL**
black	**T98P4DZL**
white / gold	**T98P4DWLLB**
black / gold	**T98P4DZLLB**


tribes LED H5 - 110cm



lamp type	**LED**
colour temp.	**2700K**
max. watt	**3 x 7W**
voltage	**350mA**
lumen	**3 x 600**
class	**2**
gear	**-**
length	**1400 mm**
width	**55 mm**
height	**1100 mm**

order code	
white	**T98P5DWL**
black	**T98P5DZL**
white / gold	**T98P5DWLLB**
black / gold	**T98P5DZLLB**


tribes LED H6 - 120cm



lamp type	**LED**
colour temp.	**2700K**
max. watt	**3 x 7W**
voltage	**350mA**
lumen	**3 x 600**
class	**2**
gear	**-**
length	**1400 mm**
width	**55 mm**
height	**1200 mm**

order code	
white	**T98P6DWL**
black	**T98P6DZL**
white / gold	**T98P6DWLLB**
black / gold	**T98P6DZLLB**


tribes LED H7 - 130cm



lamp type	**LED**
colour temp.	**2700K**
max. watt	**3 x 7W**
voltage	**350mA**
lumen	**3 x 600**
class	**2**
gear	**-**
length	**1400 mm**
width	**55 mm**
height	**1300 mm**

order code	
white	**T98P7DWL**
black	**T98P7DZL**
white / gold	**T98P7DWLLB**
black / gold	**T98P7DZLLB**


tribes LED H8 - 140cm



lamp type	**LED**
colour temp.	**2700K**
max. watt	**3 x 7W**
voltage	**350mA**
lumen	**3 x 600**
class	**2**
gear	**-**
length	**1400 mm**
width	**55 mm**
height	**1400 mm**

order code	
white	**T98P8DWL**
black	**T98P8DZL**
white / gold	**T98P8DWLLB**
black / gold	**T98P8DZLLB**








private house (damme) photo by beeldcollectief.be


tribes GU10 H1 - 60cm DOWN



lamp type	**retrofit LED**
fitting	**GU10**
max. watt	**3 x 10W**
voltage	**230V**
class	**2**
gear	**-**
length	**1400 mm**
width	**55 mm**
height	**600 mm**

order code	
white	**T98DP1HWL**
black	**T98DP1HZL**
white / gold	**T98DP1HWLLB**
black / gold	**T98DP1HZLLB**


tribes GU10 H2 - 70cm DOWN



lamp type	**retrofit LED**
fitting	**GU10**
max. watt	**3 x 10W**
voltage	**230V**
class	**2**
gear	**-**
length	**1400 mm**
width	**55 mm**
height	**700 mm**

order code	
white	**T98DP2HWL**
black	**T98DP2HZL**
white / gold	**T98DP2HWLLB**
black / gold	**T98DP2HZLLB**


tribes GU10 H3 - 80cm DOWN



lamp type	**retrofit LED**
fitting	**GU10**
max. watt	**3 x 10W**
voltage	**230V**
class	**2**
gear	**-**
length	**1400 mm**
width	**55 mm**
height	**800 mm**

order code	
white	**T98DP3HWL**
black	**T98DP3HZL**
white / gold	**T98DP3HWLLB**
black / gold	**T98DP3HZLLB**


tribes GU10 H4 - 100cm DOWN



lamp type	**retrofit LED**
fitting	**GU10**
max. watt	**3 x 10W**
voltage	**230V**
class	**2**
gear	**-**
length	**1400 mm**
width	**55 mm**
height	**1000 mm**

order code	
white	**T98DP4HWL**
black	**T98DP4HZL**
white / gold	**T98DP4HWLLB**
black / gold	**T98DP4HZLLB**


tribes GU10 H5 - 110cm DOWN



lamp type	**retrofit LED**
fitting	**GU10**
max. watt	**3 x 10W**
voltage	**230V**
class	**2**
gear	**-**
length	**1400 mm**
width	**55 mm**
height	**1100 mm**

order code	
white	**T98DP5HWL**
black	**T98DP5HZL**
white / gold	**T98DP5HWLLB**
black / gold	**T98DP5HZLLB**


tribes GU10 H6 - 120cm DOWN



lamp type	**retrofit LED**
fitting	**GU10**
max. watt	**3 x 10W**
voltage	**230V**
class	**2**
gear	**-**
length	**1400 mm**
width	**55 mm**
height	**1200 mm**

order code	
white	**T98DP6HWL**
black	**T98DP6HZL**
white / gold	**T98DP6HWLLB**
black / gold	**T98DP6HZLLB**


tribes GU10 H7 - 130cm DOWN



lamp type	**retrofit LED**
fitting	**GU10**
max. watt	**3 x 10W**
voltage	**230V**
class	**2**
gear	**-**
length	**1400 mm**
width	**55 mm**
height	**1300 mm**

order code	
white	**T98DP7HWL**
black	**T98DP7HZL**
white / gold	**T98DP7HWLLB**
black / gold	**T98DP7HZLLB**


tribes GU10 H8 - 140cm DOWN



lamp type	**retrofit LED**
fitting	**GU10**
max. watt	**3 x 10W**
voltage	**230V**
class	**2**
gear	**-**
length	**1400 mm**
width	**55 mm**
height	**1400 mm**

order code	
white	**T98DP8HWL**
black	**T98DP8HZL**
white / gold	**T98DP8HWLLB**
black / gold	**T98DP8HZLLB**


tribes LED H1 - 60cm DOWN



lamp type	**LED**
colour temp.	**2700K**
max. watt	**3 x 7W**
voltage	**350mA**
lumen	**3 x 600**
class	**2**
gear	**-**
length	**1400 mm**
width	**55 mm**
height	**600 mm**

order code	
white	**T98DP1DWL**
black	**T98DP1DZL**
white / gold	**T98DP1DWLLB**
black / gold	**T98DP1DZLLB**


tribes LED H2 - 70cm DOWN



lamp type	**LED**
colour temp.	**2700K**
max. watt	**3 x 7W**
voltage	**350mA**
lumen	**3 x 600**
class	**2**
gear	**-**
length	**1400 mm**
width	**55 mm**
height	**700 mm**

order code	
white	**T98DP2DWL**
black	**T98DP2DZL**
white / gold	**T98DP2DWLLB**
black / gold	**T98DP2DZLLB**


tribes LED H3 - 80cm DOWN



lamp type	**LED**
colour temp.	**2700K**
max. watt	**3 x 7W**
voltage	**350mA**
lumen	**3 x 600**
class	**2**
gear	**-**
length	**1400 mm**
width	**55 mm**
height	**800 mm**

order code	
white	**T98DP3DWL**
black	**T98DP3DZL**
white / gold	**T98DP3DWLLB**
black / gold	**T98DP3DZLLB**


tribes LED H4 - 100cm DOWN



lamp type	**LED**
colour temp.	**2700K**
max. watt	**3 x 7W**
voltage	**350mA**
lumen	**3 x 600**
class	**2**
gear	**-**
length	**1400 mm**
width	**55 mm**
height	**1000 mm**

order code	
white	**T98DP4DWL**
black	**T98DP4DZL**
white / gold	**T98DP4DWLLB**
black / gold	**T98DP4DZLLB**


tribes LED H5 - 110cm DOWN



lamp type	**LED**
colour temp.	**2700K**
max. watt	**3 x 7W**
voltage	**350mA**
lumen	**3 x 600**
class	**2**
gear	**-**
length	**1400 mm**
width	**55 mm**
height	**1100 mm**

order code	
white	**T98DP5DWL**
black	**T98DP5DZL**
white / gold	**T98DP5DWLLB**
black / gold	**T98DP5DZLLB**


tribes LED H6 - 120cm DOWN



lamp type	**LED**
colour temp.	**2700K**
max. watt	**3 x 7W**
voltage	**350mA**
lumen	**3 x 600**
class	**2**
gear	**-**
length	**1400 mm**
width	**55 mm**
height	**1200 mm**

order code	
white	**T98DP6DWL**
black	**T98DP6DZL**
white / gold	**T98DP6DWLLB**
black / gold	**T98DP6DZLLB**


tribes LED H7 - 130cm DOWN



lamp type	**LED**
colour temp.	**2700K**
max. watt	**3 x 7W**
voltage	**350mA**
lumen	**3 x 600**
class	**2**
gear	**-**
length	**1400 mm**
width	**55 mm**
height	**1300 mm**

order code	
white	**T98DP7DWL**
black	**T98DP7DZL**
white / gold	**T98DP7DWLLB**
black / gold	**T98DP7DZLLB**

tribes LED H8 - 140cm DOWN



lamp type	**LED**
colour temp.	**2700K**
max. watt	**3 x 7W**
voltage	**350mA**
lumen	**3 x 600**
class	**2**
gear	**-**
length	**1400 mm**
width	**55 mm**
height	**1400 mm**


order code	
white	**T98DP8DWL**
black	**T98DP8DZL**
white / gold	**T98DP8DWLLB**
black / gold	**T98DP8DZLLB**








tribes globe H1 - 60cm



lamp type	**LED (DIM TRIAC)**
colour temp.	**2700K**
max. watt	**3 x 6W**
voltage	**230V**
lumen	**3 x 600**
class	**2**
gear	**-**
length	**1400 mm**
width	**55 mm**
height	**600 mm**

order code	
white	**T98SP1DWL**
black	**T98SP1DZL**
white / gold	**T98SP1DWLLB**
black / gold	**T98SP1DZLLB**


tribes globe H2 - 70cm



lamp type	**LED (DIM TRIAC)**
colour temp.	**2700K**
max. watt	**3 x 6W**
voltage	**230V**
lumen	**3 x 600**
class	**2**
gear	**-**
length	**1400 mm**
width	**55 mm**
height	**700 mm**

order code	
white	**T98SP2DWL**
black	**T98SP2DZL**
white / gold	**T98SP2DWLLB**
black / gold	**T98SP2DZLLB**


tribes globe H3 - 80cm



lamp type	**LED(DIM TRIAC)**
colour temp.	**2700K**
max. watt	**3 x 6W**
voltage	**230V**
lumen	**3 x 600**
class	**2**
gear	**-**
length	**1400 mm**
width	**55 mm**
height	**800 mm**

order code	
white	**T98SP3DWL**
black	**T98SP3DZL**
white / gold	**T98SP3DWLLB**
black / gold	**T98SP3DZLLB**


tribes globe H4 - 100cm



lamp type	**LED (DIM TRIAC)**
colour temp.	**2700K**
max. watt	**3 x 6W**
voltage	**230V**
lumen	**3 x 600**
class	**2**
gear	**-**
length	**1400 mm**
width	**55 mm**
height	**1000 mm**

order code	
white	**T98SP4DWL**
black	**T98SP4DZL**
white / gold	**T98SP4DWLLB**
black / gold	**T98SP4DZLLB**


tribes globe H5 - 110cm



lamp type	**LED (DIM TRIAC)**
colour temp.	**2700K**
max. watt	**3 x 6W**
voltage	**230V**
lumen	**3 x 600**
class	**2**
gear	**-**
length	**1400 mm**
width	**55 mm**
height	**1100 mm**

order code	
white	**T98SP5DWL**
black	**T98SP5DZL**
white / gold	**T98SP5DWLLB**
black / gold	**T98SP5DZLLB**


tribes globe H6 - 120cm



lamp type	**LED (DIM TRIAC)**
colour temp.	**2700K**
max. watt	**3 x 6W**
voltage	**230V**
lumen	**3 x 600**
class	**2**
gear	**-**
length	**1400 mm**
width	**55 mm**
height	**1200 mm**

order code	
white	**T98SP6DWL**
black	**T98SP6DZL**
white / gold	**T98SP6DWLLB**
black / gold	**T98SP6DZLLB**


tribes globe H7 - 130cm



lamp type	**LED (DIM TRIAC)**
colour temp.	**2700K**
max. watt	**3 x 6W**
voltage	**230V**
lumen	**3 x 600**
class	**2**
gear	**-**
length	**1400 mm**
width	**55 mm**
height	**1300 mm**

order code	
white	**T98SP7DWL**
black	**T98SP7DZL**
white / gold	**T98SP7DWLLB**
black / gold	**T98SP7DZLLB**

tribes globe H8 - 140cm



lamp type	**LED (DIM TRIAC)**
colour temp.	**2700K**
max. watt	**3 x 6W**
voltage	**230V**
lumen	**3 x 600**
class	**2**
gear	**-**
length	**1400 mm**
width	**55 mm**
height	**1400 mm**

order code	
white	**T98SP8DWL**
black	**T98SP8DZL**
white / gold	**T98SP8DWLLB**
black / gold	**T98SP8DZLLB**

tuba


design by alain monnens



TUBA is a minimalistic family of surface mounted downlights and is available in 3 different sizes. The robust tubular body hides an elegant white painted trumpet shaped reflector which creates a soft and efficient light diffusion. Installing several TUBA's in a linear way creates an architectural atmosphere whereas installing groups of different sizes together creates a playfull accent. Available in black and white and equipped with a high efficient LED.




tuba S



lamp type	**LED**
colour temp.	**2700K**
max. watt	**13W**
voltage	**230V**
lumen	**984**
class	**1**
gear	**incorporated (TRIAC)**
diameter	**120 mm**
height	**220 mm**

order code	
white	**T95C1DWL**
black	**T95C1DZL**


tuba M



lamp type	**LED**
colour temp.	**2700K**
max. watt	**13W**
voltage	**230V**
lumen	**1127**
class	**1**
gear	**incorporated (TRIAC)**
diameter	**160 mm**
height	**180 mm**

order code	
white	**T95C2DWL**
black	**T95C2DZL**

tuba L



lamp type	**LED**
colour temp.	**2700K**
max. watt	**13W**
voltage	**230V**
lumen	**1129**
class	**1**
gear	**incorporated (TRIAC)**
diameter	**200 mm**
height	**140 mm**

order code	
white	**T95C3DWL**
black	**T95C3DZL**

u-light

design by alain monnens

private house by alain monnens



U-LIGHT is a pendant luminaire with a ‘flat’ and linear though at the same time a soft and natural design. U-LIGHT is ideal for the work environment but fits equally well at home or in any other setting.


U-LIGHT is available in various colours and lengths (1200, 1800 and 2400mm).





private house by alain monnens

u-light 1200



lamp type	**LED**
colour temp.	**2700K/3000K**
max. watt	**28W**
voltage	**230V**
class	**1**
gear	**incorporated**
length	**1200 mm**
width	**40 mm**
height	**60 (max 2500) mm**


order code 2700K

white	**T85H5DWL**
black	**T85H5DZL**

order code 3000K

white	**T85H2DWL**
black	**T85H2DZL**

u-light 1800



lamp type	**LED**
colour temp.	**2700K/3000K**
max. watt	**42W**
voltage	**230V**
class	**1**
gear	**incorporated**
length	**1800 mm**
width	**40 mm**
height	**60 (max 2500) mm**


order code 2700K

white	**T85H6DWL**
black	**T85H6DZL**

order code 3000K

white	**T85H3DWL**
black	**T85H3DZL**

u-light 2400



lamp type	**LED**
colour temp.	**2700K/3000K**
max. watt	**56W**
voltage	**230V**
class	**1**
gear	**incorporated**
length	**2400 mm**
width	**40 mm**
height	**60 (max 2500) mm**

order code 2700K

white	**T85H7DWL**
black	**T85H7DZL**

order code 3000K

white	**T85H4DWL**
black	**T85H4DZL**

victor


design by nosta



private house (knokke, belgium) photo by beeldcollectief.be

The VICTOR is designed to obtain a versatile accent lighting solution with a discrete elegant design. The version with GU10 is perfectly suited for LED retrofit bulbs as the VICTOR with the LED module has a hybrid optic system for a perfect lightbeam and avoids dazzle while improving light performance.


victor GU10 C1



lamp type	**retrofit LED**
fitting	**GU10**
max. watt	**10W**
voltage	**230V**
class	**2**
diameter	**80 mm**
height	**150 mm**
tube	**120 x 55 mm**

order code	
white	**T104S1HWL**
black	**T104S1HZL**
brass	**T104S1HLB**


optional ring



diameter	**75 mm**
height	**15 mm**

order code	
white	**TP12WL**
black	**TP12ZL**


victor GU10 C1B



lamp type	**retrofit LED**
fitting	**GU10**
max. watt	**10W**
voltage	**230V**
class	**2**
diameter	**90 mm**
height	**150 mm**
tube	**120 x 55 mm**

order code	
white	**T104S30HWL**
black	**T104S30HZL**
brass	**T104S30HLB**


victor GU10 SB 5,5



lamp type	**retrofit LED**
fitting	**GU10**
max. watt	**10W**
voltage	**230V**
class	**1**
diameter	**55 mm**
height	**152,5 mm**
tube	**120 x 55 mm**

order code	
white	**T104S90HWL**
black	**T104S90HZL**
brass/bl.base	**T104S90HLB**

victor GU10 SB 10



lamp type	**retrofit LED**
fitting	**GU10**
max. watt	**10W**
voltage	**230V**
class	**1**
diameter	**100 mm**
height	**152,5 mm**
tube	**120 x 55 mm**

order code	
white	**T104S91HWL**
black	**T104S91HZL**
brass/bl.base	**T104S91HLB**

suction cup




order code	
white	**TP10P1**






victor GU10 adaptor 3F



lamp type	**retrofit LED**
fitting	**GU10**
max. watt	**10W**
voltage	**230V**
class	**1**

order code	
white	**T104R1HWL**
black	**T104R1HZL**
brass	**T104R1HLB**

victor GU10 eutrac* 3F




lamp type	**retrofit LED**
fitting	**GU10**
max. watt	**10W**
voltage	**230V**
class	**1**

order code	
white	**T104R2HWL**
black	**T104R2HZL**
brass	**T104R2HLB**

* only for eutrac 3F rail

victor LED C1




lamp type	**LED**
colour temp.	**2700K**
max. watt	**6W**
voltage	**350mA**
lumen	**740lm**
class	**2**
gear	**not incorporated**
diameter	**80 mm**
height	**150 mm**
tube	**120 x 55 mm**

order code

white	**T104S1DWL**
black	**T104S1DZL**
brass	**T104S1DLB**

optional ring




diameter	**75 mm**
height	**15 mm**

order code

white	**TP12WL**
black	**TP12ZL**

victor LED C1B




lamp type	**LED**
colour temp.	**2700K**
max. watt	**6W**
voltage	**350mA**
lumen	**740lm**
class	**2**
gear	**not incorporated**
diameter	**90 mm**
height	**150 mm**
tube	**120 x 55 mm**

order code

white	**T104S30DWL**
black	**T104S30DZL**
brass	**T104S30DLB**

drivers



TRIAC DIM 6W-13W

code	**OD02DT02**


PUSH/1-10V 18W

code	**ID01DP04**

DALI 15W

code	**ID01DP08**

victor LED SB 5,5




lamp type	**LED**
colour temp.	**2700K**
max. watt	**6W**
voltage	**350mA**
lumen	**740lm**
class	**1**
gear	**not incorporated**
diameter	**55 mm**
height	**152,7 mm**
tube	**120 x 55 mm**

order code

white	**T104S90DWL**
black	**T104S90DZL**
brass/bl.base	**T104S90DLB**

victor LED SB 10




lamp type	**LED**
colour temp.	**2700K**
max. watt	**6W**
voltage	**350mA**
lumen	**740lm**
class	**1**
gear	**incorporated (TRIAC)**
diameter	**100 mm**
height	**152,7 mm**
tube	**120 x 55 mm**

order code

white	**T104S91DWL**
black	**T104S91DZL**
brass/bl.base	**T104S91DLB**




victor GU10 FB2



lamp type	**retrofit LED**
fitting	**GU10**
max. watt	**2 x 10W**
voltage	**230V**
class	**1**
gear	**-**
length	**180 mm**
width	**79 mm**
height	**190 mm**

order code	
white	**T104S82HWL**
black	**T104S82HZL**
brass	**T104S82HLB**


victor LED FB2



lamp type	**LED**
colour temp.	**2700K**
max. watt	**2 x 6W**
voltage	**230V**
lumen	**2 x 740**
class	**1**
gear	**incorporated (TRIAC)**
length	**180 mm**
width	**79 mm**
height	**190 mm**

order code	
white	**T104S82DWL**
black	**T104S82DZL**
brass	**T104S82DLB**


victor GU10 FB3



lamp type	**retrofit LED**
fitting	**GU10**
max. watt	**3 x10W**
voltage	**230V**
class	**1**
gear	**-**
length	**320 mm**
width	**79 mm**
height	**190 mm**

order code	
white	**T104S83HWL**
black	**T104S83HZL**
brass	**T104S83HLB**

victor LED FB3



lamp type	**LED**
colour temp.	**2700K**
max. watt	**3 x 6W**
voltage	**230V**
lumen	**3 x 740**
class	**1**
gear	**incorporated (TRIAC)**
length	**320 mm**
width	**79 mm**
height	**190 mm**

order code	
white	**T104S83DWL**
black	**T104S83DZL**
brass	**T104S83DLB**



victor 120 ceiling



lamp type	**retrofit LED**
fitting	**GU10**
max. watt	**10W**
voltage	**230V**
class	**1**
gear	**-**
diameter	**55 mm**
height	**120 mm**

order code

white	**T104C1HWL**
black	**T104C1HZL**
brass	**T104C1HLB**

victor 200 ceiling



lamp type	**retrofit LED**
fitting	**GU10**
max. watt	**10W**
voltage	**230V**
class	**1**
gear	**-**
diameter	**55 mm**
height	**200 mm**

order code

white	**T104C2HWL**
black	**T104C2HZL**
brass	**T104C2HLB**

victor 295 ceiling




lamp type	**retrofit LED**
fitting	**GU10**
max. watt	**10W**
voltage	**230V**
class	**1**
gear	**-**
diameter	**55 mm**
height	**295 mm**

order code

white	**T104C3HWL**
black	**T104C3HZL**
brass	**T104C3HLB**

victor suspension 120 SB 5,5




lamp type	**LED**
colour temp.	**2700K**
max. watt	**6W**
voltage	**350mA**
lumen	**740**
class	**1**
gear	**not incorporated**
diameter	**55 mm**
height	**27 (max 1500) mm**
tube	**120 x 55 mm**

order code

white	**T104H1DWL**
black	**T104H1DZL**
brass/bl.base	**T104H1DLB**

victor suspension 200 SB 5,5




lamp type	**LED**
colour temp.	**2700K**
max. watt	**6W**
voltage	**350mA**
lumen	**740**
class	**1**
gear	**not incorporated**
diameter	**55 mm**
height	**27 (max 1500) mm**
tube	**200 x 55 mm**

order code

white	**T104H2DWL**
black	**T104H2DZL**
brass/bl.base	**T104H2DLB**

victor suspension 295 SB 5,5




lamp type	**LED**
colour temp.	**2700K**
max. watt	**6W**
voltage	**350mA**
lumen	**740**
class	**1**
gear	**not incorporated**
diameter	**55 mm**
height	**27 (max 1500) mm**
tube	**295 x 55 mm**

order code

white	**T104H3DWL**
black	**T104H3DZL**
brass/bl.base	**T104H3DLB**



victor suspension 120
SB 100




lamp type	**LED**
colour temp.	**2700K**
max. watt	**6W**
voltage	**350mA**
lumen	**740**
class	**1**
gear	**incorporated (TRIAC)**
diameter	**100 mm**
height	**27 (max 1500) mm**
tube	**120 x 55 mm**

order code

white	**T104H4DWL**
black	**T104H4DZL**
brass/bl.base	**T104H4DLB**

victor suspension 200
SB 100




lamp type	**LED**
colour temp.	**2700K**
max. watt	**6W**
voltage	**350mA**
lumen	**740**
class	**1**
gear	**incorporated (TRIAC)**
diameter	**100 mm**
height	**27 (max 1500) mm**
tube	**200 x 55 mm**

order code

white	**T104H5DWL**
black	**T104H5DZL**
brass/bl.base	**T104H5DLB**

victor suspension 295
SB 100




lamp type	**LED**
colour temp.	**2700K**
max. watt	**6W**
voltage	**350mA**
lumen	**740**
class	**1**
gear	**incorporated (TRIAC)**
diameter	**100 mm**
height	**27 (max 1500) mm**
tube	**295 x 55 mm**

order code

white	**T104H6DWL**
black	**T104H6DZL**
brass/bl.base	**T104H6DLB**

victor suspension 120 C1B




lamp type	**LED**
colour temp.	**2700K**
max. watt	**6W**
voltage	**350mA**
lumen	**740**
class	**2**
gear	**not incorporated**
diameter	**90 mm**
height	**1 (max 1500) mm**
tube	**120 x 55 mm**

order code

white	**T104H7DWL**
black	**T104H7DZL**
brass/bl.base	**T104H7DLB**

victor suspension 200 C1B




lamp type	**LED**
colour temp.	**2700K**
max. watt	**6W**
voltage	**350mA**
lumen	**740**
class	**2**
gear	**not incorporated**
diameter	**90 mm**
height	**1 (max 1500) mm**
tube	**200 x 55 mm**

order code

white	**T104H8DWL**
black	**T104H8DZL**
brass/bl.base	**T104H8DLB**


victor suspension 295 C1B



lamp type	**LED**
colour temp.	**2700K**
max. watt	**6W**
voltage	**350mA**
lumen	**740**
class	**2**
gear	**not incorporated**
diameter	**90 mm**
height	**1 (max 1500) mm**
tube	**295 x 55 mm**

order code

white	**T104H9DWL**
black	**T104H9DZL**
brass/bl.base	**T104H9DLB**




The name YPSO refers to the letter ypsilon on which its shape is inspired. The light is spread in three directions creating a large area of illumination. When installed in group, YPSO seems to create structures in the air.

A 3D printed connection piece is holding the tubes in place and provides a nice detail to the design. YPSO is provided with 3 steelcables so that the lamp can be installed horizontally or oblique by adjusting each cable individually. This playful pendant lamp is equipped with a high efficient LED strip, comes in two different sizes and is available in black and white.



ypso S



lamp type	**LED**
colour temp.	**2700K / 3000K**
max. watt	**12W**
voltage	**230V**
lumen	**510**
class	**1**
gear	**incorporated**
length	**400 mm**
width	**400 mm**
height	**25 (max 2500) mm**


order code 2700K

white	**T94H2DWL**
black	**T94H2DZL**

order code 3000K

white	**T94H1DWL**
black	**T94H1DZL**

ypso S dim



lamp type	**LED**
colour temp.	**2700K / 3000K**
max. watt	**12W**
voltage	**230V**
dim	**1-10V/PUSH**
lumen	**510**
class	**1**
gear	**incorporated**
length	**400 mm**
width	**400 mm**
height	**25 (max 2500) mm**


order code 2700K

white	**T94H2DWLD**
black	**T94H2DZLD**

order code 3000K

white	**T94H1DWLD**
black	**T94H1DZLD**

ypso L



lamp type	**LED**
colour temp.	**2700K / 3000K**
max. watt	**19W**
voltage	**230V**
lumen	**815**
class	**1**
gear	**incorporated**
length	**580 mm**
width	**580 mm**
height	**25 (max 2500) mm**


order code 2700K

white	**T94H4DWL**
black	**T94H4DZL**

order code 3000K

white	**T94H3DWL**
black	**T94H3DZL**

ypso L dim



lamp type	**LED**
colour temp.	**2700K / 3000K**
max. watt	**19W**
voltage	**230V**
dim	**1-10V/PUSH**
lumen	**815**
class	**1**
gear	**incorporated**
length	**580 mm**
width	**580 mm**
height	**25 (max 2500) mm**

order code 2700K


white	**T94H4DWLD**
black	**T94H4DZLD**

order code 3000K

white	**T94H3DWLD**
black	**T94H3DZLD**


accessories

cover plate 100x200




order code	
aluminium	**TP20PAB**
chrome	**TP20PAP**
white	**TP20PWL**
black	**TP20PZL**

cover plate 100x250



order code	
aluminium	**TP21PAB**
chrome	**TP21PAP**
white	**TP21PWL**
black	**TP21PZL**


cover plate Ø100



products
bang
rozetta

order code	
aluminium	**TP17PAB**
chrome	**TP17PAP**
white	**TP17PWL**
black	**TP17PZL**

profile



length	**max. 1970mm**
width	**50mm**
height	**40mm**

order code	
aluminium	**TP34PAB**
chrome	**-**
white	**TP34PWL**
black	**TP34PZL**



designers




alain berteau




alain monnens



bart van houcke



beat karrer



david abad




david dolcini

glenn marys





jean-françois d’or



jos muller



michel vyvey



peter van de water



sylvain willenz





tossB Karveelstraat 2
8380 Zeebrugge
Belgium

info@tossB.com
www.tossB.com
+32 50 54 35 49

tossB reserves the right to alter material, dimensions and characteristics without prior notice.